




PARTS LIST

'90-RS125R

('89-RS125R)



'89 · '90-RS125R PARTS LIST

CONTENTS

INSTRUCTION FOR USE OF PARTS LIST	3
---	---

ENGINE GROUP

E- 1	Cylinder · Cylinder head '89 · '90 MODEL	4
E- 2	L. crankcase cover · A.C. generator '89 MODEL	5
E- 2-1	L. crankcase cover · A.C. generator '90 MODEL	6
E- 3	R. crankcase cover '89 · '90 MODEL	7
E- 4	Water pump '89 · '90 MODEL	8
E- 5	Clutch '89 · '90 MODEL	9
E- 6	Crankcase '89 · '90 MODEL	10
E- 7	Piston · Crankshaft '89 · '90 MODEL	12
E- 8	Transmission '89 · '90 MODEL	13
E- 9	Gear shift drum '89 · '90 MODEL	15
E-10	Carburetor '89 · '90 MODEL	16

FRAME GROUP

F- 1	Steering handle · Cable '89 · '90 MODEL	18
F- 2	Steering stem · Steering damper · Front fender '89 · '90 MODEL	19
F- 3	Front wheel '89 MODEL	20
F- 3-1	Front wheel '90 MODEL	21
F- 4	Front caliper · Master cylinder '89 MODEL	22
F- 4-1	Front caliper · Master cylinder '90 MODEL	24
F- 5	Front fork · Rear cushion '89 MODEL	26
F- 5-1	Front fork · Rear cushion '90 MODEL	27
F- 6	Fuel tank · Seat '89 · '90 MODEL	28
F- 7	Expansion chamber '89 · '90 MODEL	29
F- 8	Rear wheel '89 MODEL	30
F- 8-1	Rear wheel '90 MODEL	32
F- 9	Rear brake · Rear master cylinder '89 · '90 MODEL	34
F-10	Step · Brake pedal '89 MODEL	35
F-10-1	Step · Brake pedal '90 MODEL	36
F-11	Change pedal · Rear fork '89 MODEL	37
F-11-1	Change pedal · Rear fork '90 MODEL	39
F-12	Ignition coil · Frame body '89 MODEL	41
F-12-1	Ignition coil · Frame body '90 MODEL	42
F-13	Radiator	43
F-14	Tachometer · Cowling '89 MODEL	44
F-14-1	Tachometer · Cowling '90 MODEL	46

INDEX	48
-------------	----

Special Tool	58
--------------------	----

Service Shop (For Japanese)

INDEX

FOREWORD INDEX

1

ENGINE GROUP

2


FRAME GROUP

3

INDEX


4

1



'89 MODEL

(RS125RF-8910001~
RS125RE-8910001~)



'90 MODEL

(RS125RF-9010001~
RS125RE-9010001~)

INSTRUCTION FOR USE OF PARTS LIST

This parts list is to be used when ordering replacement parts; it contains all parts for model '89-RS125R.

I. How to order parts


● Information required

Replacement parts orders must contain both the part number and the stamped number(s) as described below. This is because any changes and modifications of parts are registered at HONDA with the pertinent parts and stamped numbers.


II. How to read this parts list

● Make-up of the part number

(Example) General parts



(Example) Bolts, nuts and other standard parts



● Abbreviations

The following abbreviations are used in this parts list.

A.C. Alternating current	IN. Internal
ADJ. Adjust	L. Left
ADJG. Adjusting	L(100L). Link (100 Links)
ASSY. Assembly	LWR. Lower
BOTT. Bottom	mm Millimeter
BRK. Brake	R. Right
COMP. Complete	RUB. Rubber
CONN. Connecting	SCR. Screw
CUSH. Cushion	SPG. Spring
EX. External	SPL. Special
FR. Front	STD. Standard
GEN. Generator	T(22T). Tooth (22 Teeth)
HNDL. Handle	THROT. Throttle

Note:

- The parts which have a dot “•” on the left side of the “Ref. No.” are exclusive for HRC products. To purchase these parts, consult your dealer from which you purchased your motorcycle.
- The parts which have no dot are those of the Honda products and can be purchased from your nearest Honda motorcycle dealer.

No part of this publication may be reproduced without written permission.

パーツリストのご使用について

●部品の注文、修理などの資料としてお使いください。


- ・販売対象部品を収録してあります。
- ・部品注文は部品番号でご連絡ください。
(部品は変更される場合がありますのでタイプ・色・メーカー名・号機を必要に応じて一緒にご連絡ください。)
- ・使用個数に () がつけられている部品はオプション部品です。
- ・使用個数が “N” と示されている部品は必要に応じて選択して使用する部品です。

●部品に変更があったとき


- ・Remarksに号機が記載されます。号機が記載されていない部品は初号機から使用しています。
- ・部品名欄に部品番号が記載されているものはその部品番号に統一されたことを示します。

●部品番号の構成

〈例〉一般部品



〈例〉ボルト・ナット・その他の標準部品



●略語

- ・パーツリストには下記の略語が使用されています。

ASSY. アッセンブリー	mm ミリメートル
COMP. コンプリート	T(22T) チョウ(歯数22)
R. ライト(右)	L(100L) リンク(駒数100)
L. レフト(左)	A.C. オルタネーティング カーレント(交流)
STD. スタンダード	


※Ref. No. の左側に

- ・印のついている部品はHRC専用部品です。HRC サービスショップにご注文するか又はお買い求めのHRC 販売店にご相談下さい。
- ・印のついていない部品は本田技研工業(株)の量産部品を流用しています。HRC サービスショップまたは最寄りのホンダ二輪販売店でお求め下さい。

Block No.

E-1

**Cylinder • Cylinder head
'89, '90 MODEL**



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	12100-NF4-760	CYLINDER COMP	1	—							
• 2	12100-NF4-770	CYLINDER COMP	—	1							
• 3	12191-KS6-880	GASKET, CYLINDER	1	1							
• 4	12200-NF4-760	HEAD COMP, CYLINDER	1	1							
• 5	12212-ND5-003	O-RING, 96 x 2.4	1	1							
• 6	12213-ND5-000	O-RING, 61 x 1.9	1	1							
• 7	18221-NF4-760	SPACER, exh joint	1	1							
• 8	18331-NF4-760	GASKET, exh joint	2	2							
• 9	31901-NF4-771	SPARK PLUG 10.5	1	1							
• 10	31902-NF4-871	SPARK PLUG 11	(1)	(1)							
• 11	31910-NF4-000	NUT, spark plug	1	1							
• 12	90037-360-000	BOLT, oil check	1	1							
• 13	90441-422-000	WASHER, sealing 8 mm	5	5							
• 14	90443-107-000	NUT, cap, 8 mm	5	5							
• 15	90543-273-000	PACKING, front fork drain cock	1	1							
• 16	92900-08032-0E	BOLT, stud 2 8 x 32	5	5							
• 17	94050-08000	NUT, flange, 8 mm	4	4							
• 18	94301-06100	PIN, dowel, 6 x 10	2	2							
• 19	94303-04065	PIN, dowel, 4 x 6.5	2	2							


Block No.

E-2

**L. crankcase cover •
A.C. generator
'89 MODEL**

MEMO

- Ignition timing: 27.5°/6,000 rpm
- Flywheel & rotor puller
: 07733-0010001



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	11350-KS6-701	COVER ASSY, L case	1	1							
2	11352-KS6-700	SEAL, L cover	1	1							
• 3	31100-NF4-751	GENERATOR ASSY., AC.	1	—							
• 4	31100-NF4-771	GENERATOR ASSY., AC.	—	1							
• 5	31110-NF4-751	FLYWHEEL COMP	1	—							
• 6	31110-NF4-771	FLYWHEEL COMP	—	1							
• 7	31120-NF4-751	STATOR COMP	1	—							
• 8	31120-NF4-771	STATOR COMP	—	1							
6	90437-611-000	WASHER, plain, 12 mm	1	1							
7	93891-06025-07	SCREW WASHER, 6 x 25	4	4							
8	94050-12000	NUT, flange, 12 mm	1	1							
9	96300-06018	BOLT, flange, DR 6 x 18	2	2							


Block No.

E-2-1

L. crankcase cover • A.C. generator '90 MODEL

MEMO

- Ignition timing: 28°/6,000 rpm
- Flywheel & rotor puller
: 07733-0010001



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	11350-KS6-701	COVER ASSY, L case	1	1							
2	11352-KS6-700	SEAL, L cover	1	1							
• 3	31100-NF4-751	GENERATOR ASSY., AC.	1	—							
• 4	31100-NF4-771	GENERATOR ASSY., AC.	—	1							
• 5	31110-NF4-751	FLYWHEEL COMP	1	—							
• 6	31110-NF4-771	FLYWHEEL COMP	—	1							
• 7	31120-NF4-751	STATOR COMP	1	—							
• 8	31120-NF4-771	STATOR COMP	—	1							
6	90437-611-000	WASHER, plain, 12 mm	1	1							
7	93891-06025-07	SCREW WASHER, 6 x 25	4	4							
8	94050-12000	NUT, flange, 12 mm	1	1							
9	96300-06018	BOLT, flange, DR 6 x 18	2	2							


Block No.

E-3

R. crankcase cover '89, '90 MODEL

MEMO

- Transmission oil quantity
: 0.77 ltr. (at oil change)
: 0.85 ltr. (at overhaul)
- Recommended transmission oil
: HONDA ULTRA U (10W—30)
or equivalent




Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	11340-NF4-750	COVER COMP., R. crank case	1	1					
• 2	11394-NF4-760	GASKET R COVER	1	1					
• 3	15611-ND5-000	CAP, oil filler	1	1					
• 4	90134-ND5-000	BOLT, flange, 6 x 10	1	1					
5	90543-273-000	PACKING, front fork drain cock	1	1					
6	91304-MJ0-003	O-RING,	1	1					
7	94301-08140	PIN, dowel, 8 x 14	2	2					
8	96001-06032-07	BOLT, flange, SH, 6 x 32	6	6					
9	96001-06040-07	BOLT, flange, SH, 6 x 40	1	1					

Block No.

E-4

Water pump '89, '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	19215-KA3-740	IMPELLER, water pump	1	1							
2	19221-KS6-700	COVER, water pump	1	1							
3	19222-KS6-700	SEPARATER, water pump	1	1							
4	19229-KS6-880	GASKET, water pump	2	2							
5	19240-KS6-700	SHAFT COMP., water pump	1	1							
• 6	19501-NF4-000	HOSE, water	1	1							
7	19506-KS6-700	CLAMP B, water hose	2	2							
8	90015-KS6-700	BOLT, flange, 6 x 75	1	1							
9	90016-KS6-700	BOLT, flange, 6 x 80	1	1							
10	90016-ML3-680	BOLT, flange, SH 6 x 30	2	2							
11	90037-360-000	BOLT, oil check	1	—							
	96001-06010-07	BOLT, oil check	—	1							
12	90447-KE1-000	WASHER, sealing 7 mm	1	1							
13	90543-273-000	PACKING, front fork drain cock	1	1							
14	91007-KA3-740	BRG. BALL, 12 x 24 x 6	1	1							
15	91201-148-003	OIL SEAL, 12 x 22 x 5	1	1							
16	91211-KA3-761	SEAL, water pump	1	1							
17	96220-40080	ROLLER, 4 x 8	2	2							

Block No.

E-5

Clutch


'89, '90 MODEL



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	13615-KS6-700	GEAR, primary drive	1	1		19	91011-KS6-003	BEARING, needle, 25 x 29 x 22	1	1	
2	13617-KS6-700	COLLAR, drive gear	1	1		20	93404-06020-08	BOLT-WASHER, 6 x 20	5	5	
• 3	22100-NF4-770	OUTER COMO., clutch	1	1		21	96211-09000	BALL, steel, #9	1	1	
• 4	22120-NF4-750	CENTER, clutch	1	1							
• 5	22201-NF4-000	DISK A, clutch friction	2	2							
• 6	22203-NF4-761	DISK C, clutch friction	5	5							
7	22321-KF0-000	PLATE, clutch	6	6							
• 8	22351-NF4-760	PLATE, clutch pressure	1	1							
9	22352-KA4-000	PIECE, clutch lifter	1	1							
10	22401-KA3-710	SPRING, clutch	5	5							
11	22850-KZ4-000	ROD, clutch lifter	1	1							
12	28237-KS6-000	COLLAR, distance, 20 x 25 x 25.5	1	—							
• 13	28237-NF4-770	COLLAR, distance, 20 x 25 x 25.5	—	1							
13	90013-430-000	BOLT, SPECIAL, 10 x 25	1	1							
14	90235-KA4-000	NUT, hex., 18 mm	1	1							
15	90441-HA2-670	WASHER, lock, 18 mm	1	1							
16	90456-KA4-000	WASHER, thrust, 18 x 32	1	1							
17	90456-KS6-000	WASHER, thrust, 20 mm	1	—							
• 18	90456-NF4-770	WASHER, thrust, 20 mm	—	1							
18	90481-430-000	WASHER, SPG., 10 mm	1	1							

Block No.

E-6
Crankcase
'89, '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	04101-NF4-000	RECTIFIER, intake	1	—		19	91001-KA3-711	BRG. ball, 6204	1	1	
• 2	11010-NF4-770	CASE ASSY., R crank	1	1		20	91002-KA4-003	BRG., ball, 7 x 19 x 6	1	1	
• 3	11011-NF4-770	CASE ASSY., L crank	1	1			91002-KA4-005	BRG., ball, 7 x 19 x 6	1	1	
• 4	11012-NF4-750	BUSH SET, rear engine mount	2	2		21	91002-466-008	BRG., ball, radial, 63/22	2	2	
5	11191-KS6-880	GASKET, crankcase	1	1		22	91004-430-003	BRG., ball, radia, 6905Z	1	1	
6	11211-GC4-701	TUBE, breather	1	1			91004-430-003	BRG., ball, radia, 6905Z	1	1	
• 7	14100-NF4-760	VALVE ASSY., reed	1	—		23	91012-KA3-710	PLATE, countershaft bearing	2	2	
•	14100-NF4-771	VALVE ASSY., reed	—	1		24	91022-KA4-740	BRG., shel, 33 x 38 x 8	1	1	
• 8	14111-NF4-760	VALVE ONLY, reed	2	2		25	91201-KS6-004	OIL-SEAL, 26 x 37 x 7	1	1	
9	14132-KS6-880	GASKET, reed valve b	1	1		26	91202-KA3-712	OIL-SEAL, 10 x 17 x 4	1	1	
10	16220-KS6-700	INSULATOR, carburetor	1	—		27	91203-KK3-830	OIL-SEAL, 14 x 22 x 5	1	1	
•	16220-NF4-770	INSULATOR, carburetor	—	1		28	91203-KS6-004	OIL-SEAL, 30 x 45 x 8	1	—	
11	16223-KA3-740	BAND, insulator	1	1		29	91205-166-004	OIL-SEAL, 20 x 32 x 7	1	1	
12	22810-KS6-700	LIFTER COMP., clutch	1	1		30	91301-KS6-003	O-RING, special	1	1	
13	22815-KS6-700	SPG., clutch lever	1	1		31	92900-08035-3E	BOLT, stud, (II), 8 x 35	2	2	
14	22821-KS6-700	STOPPER, clutch lifter	1	1		32	92900-08040-3E	BOLT, stud, (II), 8 x 40	2	2	
• 15	90001-NF4-760	BOLT, flange, SH, 6 x 10	1	1		33	93500-03008-0H	SCREW, pan, 3 x 8	6	6	
• 16	90081-NC2-000	BOLT, drain, 12 mm	1	1		34	93500-05028-0A	SCREW, pan, 5 x 28	1	1	
17	90401-430-000	WASHER, spring, 10.2 mm	1	1		35	93600-06012-0A	SCREW, flat, 6 x 12	4	4	
18	90441-KS6-700	PLATE, bearing hold	2	2							

Block No.

E-6

**Crankcase
'89, '90 MODEL**




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
36	94109-12000	WASHER, plug, drain, 12 mm	1	1							
37	94111-03800	WASHER, spring, 3 mm	6	6							
38	94301-08140	PIN, dowel, 8 x 14	2	2							
39	94301-10160	PIN, dowel, 10 x 16	2	2							
40	96001-06045-07	BOLT, flange, SH, 6 x 45	3	3							
41	96001-06050-07	BOLT, flange, SH, 6 x 50	4	4							
42	96001-06075-07	BOLT, flange, SH, 6 x 75	2	2							
43	96001-06085-07	BOLT, flange, SH, 6 x 85	1	1							
44	96100-60030-00	BEARING, ball, radial, 6003	1	1							
45	96100-60040-00	BEARING, ball, radial, 6004	1	1							
46	96140-60030-00	BEARING, ball, radial, 6003U	1	1							
47	96300-06022-00	BOLT, flange, DR, 6 x 22	4	4							

Block No.

E-7

Piston • Crankshaft
'89, '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	13100-NF5-760	PISTON COMP.	1	—							
•	13100-NF4-770	PISTON COMP.	—	1							
• 2	13111-NH3-000	PIN, piston	1	1							
3	13112-ML0-720	CLIP, piston, pin	2	2							
• 4	13121-NF4-751	RING, piston	1	1							
• 5	13300-NF4-770	SHAFT COMP., crank	1	1							
6	13331-360-000	KEY, special woodruff, 25 x 14	1	1							
• 7	91008-NF5-761	BRG., conn-rod, small end	1	1							

Block No.

E-8

**Transmission
'89, '90 MODEL**




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	23210-NF4-760	SHAFT COMP., main, (17T)	1	1		•	23445-NF4-850	GEAR, M-3rd, P-3/4th, P-2, (20T/25T) ...	(1)	(1)	
•	23210-NF4-850	SHAFT COMP., main, P-2, (16T)	(1)	(1)		•	23446-NF4-850	GEAR, M-3rd/4th(P-3), (24T/23T)	(1)	(1)	
•	23210-NF4-860	SHAFT COMP., main, P-3, (18T)	(1)	(1)		•	23447-NF4-850	GEAR, M-3rd, P-2/4th, P-3, (21T/23T) ...	(1)	(1)	
• 2	23221-NF4-760	SHAFT, counter	1	1		•	23448-NF4-850	GEAR, M-3rd, P-3/4th, P-3, (22T/23T) ...	(1)	(1)	
• 3	23225-ND4-000	COLLAR, counter shaft	1	1		• 11	23451-NF4-010	GEAR, C-3rd, (31T)	1	1	
• 4	23411-NF4-750	GEAR, C-low, (31T)	1	1		•	23451-NF4-850	GEAR, C-3rd, P-2, (28T)	(1)	(1)	
•	23411-NF4-850	GEAR, C-low, P-3, (30T)	(1)	(1)		•	23451-NF4-86	GEAR, C-3rd, P-3, (27T)	(1)	(1)	
•	23411-NF4-910	GEAR, C-low, P-2, (32T)	(1)	(1)		12	23456-KA3-000	WASHER, lock	1	1	
• 5	23412-NF4-750	COLLAR, 17 x 20 x 9	1	1		• 13	23461-NF4-000	GEAR, C-4th, (30T)	1	1	
• 6	23421-NF4-000	GEAR, M-2, (22T)	1	1		•	23461-NF4-850	GEAR, C-4th, P-2, (30T)	(1)	(1)	
•	23421-NF4-810	GEAR, M-2, P-2, (19T)	(1)	(1)		•	23461-NF4-860	GEAR, C-4th, P-3, (26T)	(1)	(1)	
•	23421-NF4-850	GEAR, M-2, P-3, (23T)	(1)	(1)		• 14	23471-NF4-760	GEAR, M-5th, (27T)	1	1	
7	23422-GB4-770	BUSH, 20 x 9	1	1		•	23471-NF4-850	GEAR, M-5th, P-3, (24T)	(1)	(1)	
• 8	23431-NF4-750	GEAR, C-2nd, (33T)	1	1		•	23471-NF4-860	GEAR, M-5th, P-2, (26T)	(1)	(1)	
•	23431-NF4-850	GEAR, C-2nd, P-3, (32T)	(1)	(1)		• 15	23472-ND4-000	COLLAR, M-5th gear	1	1	
•	23431-NF4-910	GEAR, C-2nd, P-2, (30T)	(1)	(1)		• 16	23481-NF4-760	GEAR, C-5th, (29T)	1	1	
• 9	23432-NF4-750	COLLAR, 22 x 25 x 9	1	1		•	23481-NF4-850	GEAR, C-5th, P-3, (25T)	(1)	(1)	
• 10	23441-NF4-000	GEAR, M-3rd/4th, (24T/26T)	1	1		•	23481-NF4-860	GEAR, C-5th, P-2, (29T)	(1)	(1)T	
•	23441-NF4-850	GEAR, M-3rd(P-2)/4th, (21T/26T) ..	(1)	(1)		• 17	23491-NF4-000	GEAR, M-6th, (24T)	1	1	
•	23442-NF4-850	GEAR, M-3rd(P-3)/4th, (22T/26T) ..	(1)	(1)		•	23491-NF4-850	GEAR, M-6th, P-3, (28T)	(1)	(1)	
•	23443-NF4-850	GEAR, M-3rd/4th(P-2), (24T/25T) ..	(1)	(1)		• 18	23501-NF4-000	GEAR, C-6th, (24T)	1	1	
•	23444-NF4-850	GEAR, M-3rd, P-2/4th, P-2, (21T/25T) ...	(1)	(1)							

Block No.

E-8

**Transmission
'89, '90 MODEL**




Ref. No.	Part No.	Description	Reqd. No.		Remarks	Ref. No.	Part No.	Description	Reqd. No.		Remarks
			'89	'90					'89	'90	
•	23501-NF4-850	GEAR, C-6th, P-3, (27T)	(1)	(1)							
• 19	23802-NF4-910	SPROCKET, drive (15T)	(1)	(1)							
•	23803-NF4-750	SPROCKET, drive (16T)	1	1							
•	23804-NF4-910	SPROCKET, drive (17T)	(1)	(1)							
20	90446-357-000	WASHER, thrust, 17.2 mm	1	1							
21	90452-115-000	WASHER, 17 mm	1	1							
22	90452-178-000	WASHER, thrust, 17 mm	1	1							
23	90461-444-000	WASHER, spline, 20 mm	2	2							
24	90464-444-000	WASHER, spline, 22 mm	4	4							
25	90501-KA3-741	WASHER, spring, 8 x 40	1	1							
26	90601-360-000	SET RING, 20 mm	2	2							
27	90602-360-000	SET RING, 22 mm	3	3							
28	91351-KA3-711	O-RING, 20 mm	1	1							
29	96300-08020-07	BOLT, flange, DR, 8 x 20	1	1							

Block No.

E-9

Gear shift drum '89, '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	24211-NF4-770	FORK, R, gear shift	1	1		21	90428-958-000	WASHER, thrust 14 mm (B)	1	1	
• 2	24221-NF4-770	FORK, L, gear shift	1	1		22	91021-KA3-741	ROLLER, 6 x 9.5	1	1	
• 3	24231-NF4-770	FORK, C, gear shift	1	1		23	93300-06016-0A	BOLT, hex., 6 x 16	3	3	
4	24265-KA3-760	SHAFT, shift fork (M)	1	1		24	94510-14000	CIRCLIP, external, 14 mm	1	1	
5	24266-KA3-760	SHAFT, shift fork (C)	1	1		25	96220-40080	ROLLER, 4 x 8	1	1	
• 6	24311-NF4-760	DRUM, gear shift	1	1							
7	24312-KA3-741	CENTER, shift drum	1	1							
8	24315-KA3-710	PIN, shifter	1	1							
9	24320-KS6-700	SHIFTER COMP., drum	1	1							
10	24322-HA0-000	COLLAR, shifter	1	1							
11	24324-KA3-740	PAWL, ratchet	2	2							
12	24326-360-000	PLUNGER, pawl	2	2							
13	24328-KS6-700	PLATE., guide	1	1							
14	24329-KA3-740	SPRING, pawl plunger	2	2							
15	24430-KA3-740	STOPPER COMP., drum	1	1							
• 16	24435-NF4-760	SPRING, drum stopper	1	1							
17	24610-KS6-700	SPINDLE COMP., shift	1	1							
18	24651-KV3-000	SPRING, shift return	1	1							
19	90023-MG8-000	PIVOT, shift drum stopper arm	1	1							
20	90435-HB3-000	WASHER, 6.1 mm	1	1							

Block No.

E-10 **Carburetor** **'89, '90 MODEL**

MEMO

- Float level: 16 mm (gauge)
- Air screw open: 1 1/2




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	16010-KA3-004	GASKET SET	1	1		13	16118-121-014	CAP, cable sealing	2	2	
2	16011-KA3-741	VALVE SET, float	1	1		• 14	16162-ND4-751	DRAIN BOLT	1	1	
• 3	16012-NF4-760	NEEDLE SET, jet (Q1367NS)	1	1		15	16179-428-671	BINDER	2	2	
•	16201-NF4-760	NEEDLE SET, jet (Q1364NS)	(1)	(1)		16	16185-KA3-761	PLATE, buffer	1	1	
•	16202-NF4-760	NEEDLE SET, jet (Q1365NS)	(1)	(1)		• 17	16196-ND5-751	CAP, rubber	1	1	
•	16203-NF4-760	NEEDLE SET, jet (Q1366NS)	(1)	(1)		18	93500-04016-0H	PAN, screw, 4 x 16	4	4	
•	16204-NF4-760	NEEDLE SET, jet (Q1368NS)	(1)	(1)		19	95002-02070	CLIP, B7, tube	2	2	
•	16205-NF4-760	NEEDLE SET, jet (Q1369NS)	(1)	(1)		20	95003-07012-31	TUBE, vinyl	2	2	
•	16206-NF4-760	NEEDLE SET, jet (Q1370NS)	(1)	(1)		21	99101-357-1500	JET, main 150	(1)	(1)	
•	16207-NF4-760	NEEDLE SET, jet (Q1371NS)	(1)	(1)			99101-357-1520	JET, main #152	(1)	(1)	
4	16013-KA3-741	FLOAT SET	1	1			99101-357-1550	JET, main #155	(1)	(1)	
• 5	16014-NF4-003	TOP SET	1	1			99101-357-1580	JET, main #158	(1)	(1)	
• 6	16015-NF4-003	CHAMBER SET, float	1	1			99101-357-1600	JET, main #160	(1)	(1)	
• 7	16016-NF4-003	SCREW SET, A	1	1			99101-357-1620	JET, main #162	(1)	(1)	
• 8	16022-ND5-751	VALVE SET, throttle, #6.0	1	1			99101-357-1650	JET, main #165	(1)	(1)	
• 9	16046-ND4-751	VALVE SET, starter	1	1			99101-357-1680	JET, main #168	(1)	(1)	
10	16050-KA4-771	SPRING, compression coil	1	1			99101-357-1700	JET, main #170	(1)	(1)	
• 11	16100-NF4-761	CARBURETOR ASSY.	1	1			99101-357-1720	JET, main #172	(1)	(1)	
• 12	16111-ND5-751	VALVE, throttle, #5.5	(1)	(1)			99101-357-1750	JET, main #175	1	1	
•	16120-ND5-751	VALVE, throttle, #6.5	(1)	(1)			99101-357-1780	JET, main #278	(1)	(1)	
•	16121-ND5-751	VALVE, throttle, #5.0	(1)	(1)		22	99103-437-0450	JET, slow #45	(1)	(1)	

Block No.

E-10
Carburetor
'89, '90 MODEL

FR.




Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
	99103-437-0480	JET, slow #48	1 1						
	99103-437-0500	JET, slow #50	(1) (1)						

Block No.

F-1

Steering handle • Cable
'89, '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	17910-NF4-000	CABLE COMP., throttle	1	1		19	90321-KF0-000	NUT, fixing	1	1	
• 2	22870-NF4-000	CABLE COMP., clutch	1	1		• 20	90651-NC8-000	TY-LAP 3.6 x 281	1	1	
• 3	35130-NF4-000	SWITCH ASSY., kill	1	1		21	93500-04012-1A	SCREW, pan, 4 x 12	1	1	
• 4	53105-NF4-770	CAP, handle pipe	2	2		22	93500-05016-0A	SCREW, pan, 5 x 16	2	2	
• 5	53111-NF4-770	PIPE, handle	2	2		23	93700-04010-0G	SCREW, ovel, 4 x 10	2	2	
• 6	53112-ND4-760	HOLDER, R handle	1	—		24	94050-06000	NUT, flange, 6 mm	1	1	
• 7	53112-NF4-770	HOLDER, R handle	—	1		25	94111-04000	WASHER, spring, 4 mm	1	1	
• 8	53122-ND4-760	HOLDER, L handle	1	—		26	95701-08032-00	BOLT, flange, 8 x 32	2	—	
• 9	53122-NF4-770	HOLDER, L handle	—	1			95801-08035-00	BOLT, flange, 8 x 35	—	2	
• 10	53141-NF4-003	PIPE, throttle grip	1	1		27	96001-06022-00	BOLT, flange, SH, 6 x 22	4	4	
• 11	53165-422-000	GRIP, R handle	1	1							
• 12	53166-422-000	GRIP, L handle	1	1							
• 13	53167-KS6-000	HOUSING A, grip	1	1							
• 14	53168-KS6-000	HOUSING B, grip	1	1							
• 15	53169-KZ4-000	COVER, housing B	1	1							
• 16	53172-430-003	BRACKET, L. handle lever	1	1							
• 17	53173-376-000	HOLDER, lever bracket	1	1							
• 18	53178-399-700	LEVER, L. steering handle	1	1							
• 19	53192-KA3-700	BOLT, wire adjust	1	1							
• 20	90114-310-000	BOLT, handle lever pivot	1	1							

Block No.

F-2

Steering stem • Steering
damper • Front fender
'89, '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	53200-NF4-760	STEM COMP., steering, 40	1	—	• 13	91060-NL0-000	BEARING, spherical, 8 mm	2	2
•	53200-NF4-850	STEM COMP., steering, 35	(1)	—	14	94102-08000	WASHER, plain, 8 mm	4	4
•	53200-NF4-770	STEM COMP., steering, 35	—	1	15	95301-08032-00	BOLT, HEX, 8 x 32	2	2
•	53200-NF4-870	STEM COMP., steering, 40	—	(1)					
2	53214-371-010	DUST-SEAL, steering head	1	1	16	96001-06018-00	BOLT, flange, SH, 6 x 18	4	—
3	53214-430-003	DUST-SEAL, steering head	1	1		96001-06028-00	BOLT, flange, SH, 6 x 28	—	4
4	53229-KA3-710	THREAD, steering(head top)	1	—	17	96700-08032-10	BOLT, socket, 8 x 32	6	—
	53229-KN5-650	THREAD, steering(head top)	—	1		95801-08035-00	BOLT, flange, 8 x 35	—	6
• 5	53230-NF4-000	BRIDGE, fork top, 40	1	—					
•	53230-NF4-850	BRIDGE, fork top, 35	(1)	—					
•	53230-NF4-770	BRIDGE, fork top, 35	—	1					
•	53230-NF4-870	BRIDGE, fork top, 40	—	(1)					
• 6	53700-NF4-771	DAMPER ASSY., steering	1	1					
• 7	61100-NF4-000	FENDER COMP., front	1	—					
•	61100-NF4-770	FENDER COMP., front	—	1					
8	90304-KK0-000	NUT, steering stem	1	1					
9	90503-428-870	WASHER, steering stem	1	1					
• 10	90508-NF4-850	COLLAR, 6.3 x 17 (17 inch)	(4)	—					
•	90509-NF4-000	COLLAR, 6.3 x 17	—	4					
• 11	91053-ND9-000	BEARING, head pipe up	1	1					
• 12	91054-ND6-700	BEARING, had pipe loweer	1	1					

F-3

Front wheel '89 MODEL

- Air pressure: 1.7 kg·f/cm² (17 MPa)



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	42712-ND4-750	TUBE, tire	1	—		• 14	90651-NF4-000	CIRCLIP, external, 26	1	1	
2	42713-401-681	FLAP, tire	1	—		• 15	90652-NF4-000	CIRCLIP, internal, 35	2	2	
• 3	42720-NC8-000	WEIGHT, balancer, 10G	N	N							
•	42721-NC8-000	WEIGHT, balancer, 20G	N	N		16	94201-30250	PIN, sprit, 3.0 x 25	1	—	
• 4	44301-NF4-000	AXLE, front wheel	1	—		17	96140-62020-10	BEARING, radial ball, 6202	2	2	
•	44301-NF4-770	AXLE, front wheel	—	1		18	97310-42229-L0	SPOKE SET, B10 x 194.5	18	—	
• 5	44303-NF4-000	COLLAR, front wheel side	1	1		19	97664-42228-L0	SPOKE SET, B10 x 194	18	—	
						• 20	42704-NF7-000	VALVE, WHEEL	—	1	
• 6	44601-NF4-760	RIM ASSY., front, 1.85 x 18	1	—							
•	44600-NF4-770	WHEEL SET, front, 2.15 x 17	—	1		• 21	45124-NF4-870	SPACER, FR DISK	(1)	—	'90→'89
• 7	44602-NF4-760	HUB, front wheel	1	—							
• 8	44620-NF4-000	COLLAR, front axle distance	1	1							
• 9	44701-NF4-003	RIM, 1.85 x 18	1	—							
• 10	44711-ND4-750	TIRE, 2.50/2.75 x 18	1	—							
•	44711-NF4-771	TIRE, front	—	1							
• 11	45250-NF4-013	DISK COMP., R. front	1	—							
•	45120-NF4-771	DISK COMP., R. front	—	1							
•	45120-NF4-871	DISK COMP., R. front		(1)	'89→'90						
• 12	90113-ND5-761	BOLT, flange, 6 x 20	6	6							
•	90113-NF4-870	BOLT, flange, 6 x 30	(6)	(6)							
13	90305-401-680	NUT, axle, 14 mm	1	—							
	90305-GE8-003	NUT, U, 14 mm	—	1							

Block No.


F-3-1

Front wheel '90 MODEL

MEMO

- Air pressure: 1.8 kg·f/cm² (18 MPa)

FR.



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	42712-ND4-750	TUBE, tire	1	—		• 14	90651-NF4-000	CIRCLIP, external, 26	1	1	
2	42713-401-681	FLAP, tire	1	—		• 15	90652-NF4-000	CIRCLIP, internal, 35	2	2	
• 3	42720-NC8-000	WEIGHT, balancer, 10G	N	N		16	94201-30250	PIN, sprit, 3.0 x 25	1	—	
•	42721-NC8-000	WEIGHT, balancer, 20G	N	N		17	96140-62020-10	BEARING, radial ball, 6202	2	2	
• 4	44301-NF4-000	AXLE, front wheel	1	—		18	97310-42229-L0	SPOKE SET, B10 x 194.5	18	—	
•	44301-NF4-770	AXLE, front wheel	—	1		19	97664-42228-L0	SPOKE SET, B10 x 194	18	—	
• 5	44303-NF4-000	COLLAR, front wheel side	1	1		• 20	42704-NF7-000	VALVE, WHEEL	—	1	
• 6	44601-NF4-760	RIM ASSY., front, 1.85 x 18	1	—		• 21	45124-NF4-870	SPACER, FR DISK	(1)	—	'90→'89
•	44600-NF4-770	WHEEL SET, front, 2.15 x 17	—	1							
• 7	44602-NF4-760	HUB, front wheel	1	—							
• 8	44620-NF4-000	COLLAR, front axle distance	1	1							
• 9	44701-NF4-003	RIM, 1.85 x 18	1	—							
• 10	44711-ND4-750	TIRE, 2.50/2.75 x 18	1	—							
•	44711-NF4-771	TIRE, front	—	1							
• 11	45250-NF4-013	DISK COMP., R. front	1	—							
•	45120-NF4-771	DISK COMP., R. front	—	1							
•	45120-NF4-871	DISK COMP., R. front	(1)	'89→'90							
• 12	90113-ND5-761	BOLT, flange, 6 x 20	6	6							
•	90113-NF4-870	BOLT, flange, 6 x 30	(6)	(6)							
13	90305-401-680	NUT, axle, 14 mm	1	—							
	90305-GE8-003	NUT, U, 14 mm	—	1							



Block No.

F-4

Front caliper • Master cylinder '89 MODEL

MEMO

- Brake fluid: DOT 4




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	43352-568-003	SCREW, bleeder	1	1		13	45517-166-006	HOLDER, master cylinder	1	1	
2	43353-461-771	CAP, bleeder	1	1		14	45518-MB4-671	PLEATE, diaphragm	1	1	
• 3	45105-NF4-810	PAD COMP., front	2	—		15	45520-MA5-672	DIAPHRAGM	1	1	
• 4	45105-NF4-770	PAD COMP., A front	—	1							
• 5	45106-NF4-770	PAD COMP., B front	—	1		16	45530-471-831	CYLINDER SET, master	1	—	
4	45108-ML4-000	SPRING, pad	1	—			45530-MN9-305	CYLINDER SET, master	—	1	
	45108-ML7-921	SPRING, pad	—	1		17	53170-MJ4-006	LEVER ASSY., R handle	1	1	
5	45109-166-006	DUST-SEAL	2	—		18	53171-MJ4-006	KNOCKER, master cylinder	1	1	
	45109-GE2-006	DUST-SEAL	—	2		19	53172-MJ4-006	ADJUSTER, handle lever, R.	1	1	
						20	53173-MJ4-006	SPRING, handle lever	1	1	
• 6	45125-NF4-761	HOSE, front brake	1	—							
• 7	45125-NF4-771	HOSE, front brake	—	1		21	53174-MJ4-006	CAP, handle lever	1	1	
• 8	45200-NF4-760	CALIPER ASSY., R. front	1	—		22	53175-MJ4-006	LEVER, handle, R	1	1	
• 9	45200-NF4-770	CALIPER ASSY., R. front	—	1		23	53176-MJ4-016	BOLT, adjust	1	1	
8	45203-MG3-016	PLUG, pin	2	1		24	53177-KV0-006	BOLT, lever socket, 5 x 5	1	1	
9	45209-166-006	SEAL, piston	2	—		25	53179-MJ4-016	JOINT, lever	1	1	
	45209-GE2-006	SEAL, piston	—	2							
10	45215-KA3-731	PIN, hanger	2	—		• 26	90108-NF4-000	BOLT, flange, 8 x 28	2	2	
	45215-ML7-922	PIN, hanger	—	1		27	90114-MA5-671	BOLT, handle lever	1	1	
• 11	45500-NF4-003	CYLINDER ASSY., front brake master ...	1	—		28	90145-MS9-611	BOLT, oil, 10 x 22	1	1	
• 12	45500-NF4-771	CYLINDER ASSY., front brake master ...	—	1		• 29	90145-NN0-000	BOLT, oil, bleeder	1	1	
	45513-MB4-673	CAP, master cylinder	1	1		30	90201-415-000	NUT, cap, 6 x mm	1	1	

Block No.

F-4 **Front caliper •** **Master cylinder** **'89 MODEL**

MEMO

- Brake fluid: DOT 4




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
31	90545-300-000	WASHER, oil bolt	4	4							
• 32	90651-NC8-000	TY-LAP, 3.6 x 281	1	1							
• 33	90652-ND5-000	TY-LAP, 2.4 x 92	1	1							
34	93500-03006-0A	SCREW, pan, 3 x 6	1	1							
35	93600-04012-1G	SCREW, flat, 4 x 12	2	2							
36	94101-03800	WASHER, plan, 3 mm	1	1							
37	95701-06025-00	BOLT, flange, 6 x 25	2	2							
38	53174-463-770	PLUG, handle lever bracket	—	1							
• 39	45530-NF4-760	BOLT ASSY., oil bleede	1	1							

F-4-1

**Front caliper •
Master cylinder
'90 MODEL**

- Brake fluid: DOT 4



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	43352-568-003	SCREW, bleeder	1	1		13	45517-166-006	HOLDER, master cylinder	1	1	
2	43353-461-771	CAP, bleeder	1	1		14	45518-MB4-671	PLEATE, diaphragm	1	1	
• 3	45105-NF4-810	PAD COMP., front	2	—		15	45520-MA5-672	DIAPHRAGM	1	1	
•	45105-NF4-770	PAD COMP., A front	—	1							
•	45106-NF4-770	PAD COMP., B front	—	1		16	45530-471-831	CYLINDER SET, master	1	—	
4	45108-ML4-000	SPRING, pad	1	—			45530-MN9-305	CYLINDER SET, master	—	1	
	45108-ML7-921	SPRING, pad	—	1		17	53170-MJ4-006	LEVER ASSY., R handle	1	1	
5	45109-166-006	DUST-SEAL	2	—		18	53171-MJ4-006	KNOCKER, master cylinder	1	1	
	45109-GE2-006	DUST-SEAL	—	2		19	53172-MJ4-006	ADJUSTER, handle lever, R.	1	1	
						20	53173-MJ4-006	SPRING, handle lever	1	1	
• 6	45125-NF4-761	HOSE, front brake	1	—		21	53174-MJ4-006	CAP, handle lever	1	1	
•	45125-NF4-771	HOSE, front brake	—	1		22	53175-MJ4-006	LEVER, handle, R	1	1	
• 7	45200-NF4-760	CALIPER ASSY., R. front	1	—		23	53176-MJ4-016	BOLT, adjust	1	1	
•	45200-NF4-770	CALIPER ASSY., R. front	—	1		24	53177-KV0-006	BOLT, lever socket, 5 x 5	1	1	
8	45203-MG3-016	PLUG, pin	2	1		25	53179-MJ4-016	JOINT, lever	1	1	
9	45209-166-006	SEAL, piston	2	—							
	45209-GE2-006	SEAL, piston	—	2							
10	45215-KA3-731	PIN, hanger	2	—		• 26	90108-NF4-000	BOLT, flange, 8 x 28	2	2	
	45215-ML7-922	PIN, hanger	—	1		27	90114-MA5-671	BOLT, handle lever	1	1	
						28	90145-MS9-611	BOLT, oil, 10 x 22	1	1	
• 11	45500-NF4-003	CYLINDER ASSY., front brake master ...	1	—		• 29	90145-NN0-000	BOLT, oil, bleeder	1	1	
•	45500-NF4-771	CYLINDER ASSY., front brake master ...	—	1		30	90201-415-000	NUT, cap, 6 x mm	1	1	
12	45513-MB4-673	CAP, master cylinder	1	1							


Block No.

F-4-1

Front caliper • Master cylinder '90 MODEL

MEMO

- Brake fluid: DOT 4



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
31	90545-300-000	WASHER, oil bolt	4	4							
• 32	90651-NC8-000	TY-LAP, 3.6 x 281	1	1							
• 33	90652-ND5-000	TY-LAP, 2.4 x 92	1	1							
34	93500-03006-0A	SCREW, pan, 3 x 6	1	1							
35	93600-04012-1G	SCREW, flat, 4 x 12	2	2							
36	94101-03800	WASHER, plan, 3 mm	1	1							
37	95701-06025-00	BOLT, flange, 6 x 25	2	2							
38	53174-463-770	PLUG, handle lever bracket	—	1							
• 39	45530-NF4-760	BOLT ASSY., oil bleede	1	1							


Block No.

F-5

Front fork • Rear cushion '89 MODEL

MEMO

- Front fork oil
Specified oil: ULTRA CUSHION OIL
No. 10 (SEA—10W)
Capacity: 158 cc
Oil level: 110 mm
- Front fork projection: 15 mm
- Rear cushion
Spring preload: 10 mm
Damping adjuster position
Compression: S + 1 1/2 turn
Rebound: H—1 turn



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	50252-NF4-750	BAND, sub tank	1	1		• 11	51416-NF4-003	SPRING, rebound	2	—	
• 2	51400-NF4-761	FORK ASSY., R. front	1	—		•	51412-NF4-771	SPRING, rebound	—	2	
•	51400-NF4-771	FORK ASSY., R. front	—	1		• 12	51417-ND4-000	BOLT COMP., fork	2	—	
• 3	51401-NF4-003	SPRING A, front cushion	2	—		•	51450-NF4-771	BOLT COMP., fork	—	2	
•	51401-NF4-771	SPRING, A, front cushion	—	2		• 13	51421-NF4-761	CASE COMP., R bottom	1	—	
•	51401-NF4-813	SPRING B, front cushion	(2)	—		•	51421-NF4-771	CASE COMP., R bottom	—	1	
•	51403-NF4-871	SPRING, B, front cushion	—	(2)		• 14	51432-NF4-003	PIECE, oil lock	2	—	
•	51401-NF4-823	SPRING C, front cushion	(2)	—		•	51432-NF4-771	PIECE, oil lock	—	2	
•	51404-NF4-871	SPRING, C, front cushion	—	(2)		• 15	51437-NF4-761	RING, piston	4	—	
• 4	51402-NF4-003	COLLAR, spring	2	—		•	51437-NF4-771	RING, piston	—	2	
•	51402-NF4-771	COLLAR, spring	—	2							
5	51403-961-000	PLATE, spring joint	2	—		• 16	51440-NF4-761	PIPE, seat	2	—	
	51403-MA0-771	PLATE, spring joint	—	2		•	51440-NF4-771	PIPE, seat	—	2	
• 6	51410-NF4-003	PIPE COMP., front fork	2	—		• 17	51500-NF4-761	FORK ASSY., L front	1	—	
•	51410-NF4-771	PIPE COMP., front fork	—	2		•	51500-NF4-771	FORK ASSY., L front	—	1	
7	51412-446-003	RING, back up	2	—		• 18	51521-NF4-761	CASE COMP. L bottom	1	—	
7	51412-422-003	RING, back up	—	2		•	51521-NF4-771	CASE COMP. L bottom	—	1	
• 8	51414-NF4-003	BUSH, guide	2	—		• 19	52400-NF4-761	CUSHION ASSY., rear	1	—	
	51414-469-003	BUSH, guide	—	2		•	52400-NF4-771	CUSHION ASSY., rear	—	1	
9	51415-KK4-003	BUSH, slide	2	—		• 20	52401-NF4-761	SPRING A, rear cushion	1	—	
	51415-KL4-951	BUSH, slide	—	2		•	52401-NF4-771	SPRING A, rear cushion	—	1	
• 10	51415-NF4-003	COLLAR, rebound	2	—		•	52402-NF4-851	SPRING B, rear cushion	1	—	
						•	52402-NF4-871	SPRING B, rear cushion	—	1	


Block No.

F-5

Front fork • Rear cushion '89 MODEL

MEMO

- Front fork oil
Specified oil: ULTRA CUSHION OIL
No. 10 (SEA—10W)
Capacity: 158 cc
Oil level: 110 mm
- Front fork projection: 15 mm
- Rear cushion
Spring preload: 10 mm
Damping adjuster position
Compression: S + 1 1/2 turn
Rebound: H—1 turn



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
•	52403-NF4-851	SPRING C, rear cushion	1	—		•36	91255-NC2-000	OIL-SEAL, 30 x 43 x 10.5	2	—	
•	52403-NF4-871	SPRING C, rear cushion	—	1			91255-MA6-013	OIL-SEAL, 35 x 48 x 11	—	2	
•21	52420-NF4-761	JOINT COMP, upper	1	1		37	91351-KB7-003	DUST-SEAL, B	2	2	
22	52424-GC4-831	RING, stopper	2	2		38	94608-50000	O-RING, 23 x 2.8	2	—	
23	52452-GC4-831	BUSH, DAMPER up	2	2			91317-381-771	O-RING, 28 x 2.4	—	2	
24	52459-GC4-003	SEAT, rear cushion spring	1	1		39	95801-10040-00	BOLT, flange, 10 x 40	1	1	
•25	64105-NF4-000	RUBBER, cowling	5	5		40	95801-10050-00	BOLT, flange, 10 x 50	1	1	
•26	90107-NF4-003	BOLT, hex., 6 x 8	2	2							
27	90116-383-721	BOLT, socket, 8 x 27	2	—							
	90116-KV3-701	BOLT, socket, 8 x 18	—	2							
28	90118-471-000	BOLT, flange, 8 x 37	2	—							
	96300-08040-00	BOLT, flange, DR, 8 x 40	—	2							
29	90304-GA6-003	NUT, axle	1	1							
•30	90306-NF5-003	NUT, lock	1	1							
31	90543-273-000	PACKING, front fork drain cock	2	2							
32	90544-283-000	WASHER, special	2	2							
33	90601-354-000	RING, oil seal stopper	2	—							
	51447-KL4-951	RING, oil seal stopper	—	2							
34	91074-GC4-831	BEARING, spherical 12	1	1							
35	91254-446-003	SEAL, dust, 31 mm	2	—							


Block No.

F-5-1

Front fork • Rear cushion '90 MODEL

MEMO

- Front fork oil
Specified oil: ULTRA CUSHION OIL
No. 10 (SEA—10W)
Capacity: 255 cc
Oil level: 104 mm
- Front fork projection: 10 mm
- Rear cushion
Spring preload: 8 mm
Damping adjuster position
Compression: S + 1 1/4 turn
Rebound: H—1 turn



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	50252-NF4-750	BAND, sub tank	1	1		• 11	51416-NF4-003	SPRING, rebound	2	—	
• 2	51400-NF4-761	FORK ASSY., R. front	1	—		•	51412-NF4-771	SPRING, rebound	—	2	
•	51400-NF4-771	FORK ASSY., R. front	—	1		• 12	51417-ND4-000	BOLT COMP., fork	2	—	
• 3	51401-NF4-003	SPRING A, front cushion	2	—		•	51450-NF4-771	BOLT COMP., fork	—	2	
•	51401-NF4-771	SPRING, A, front cushion	—	2		• 13	51421-NF4-761	CASE COMP., R bottom	1	—	
•	51401-NF4-813	SPRING B, front cushion	(2)	—		•	51421-NF4-771	CASE COMP., R bottom	—	1	
•	51403-NF4-871	SPRING, B, front cushion	—	(2)		• 14	51432-NF4-003	PIECE, oil lock	2	—	
•	51401-NF4-823	SPRING C, front cushion	(2)	—		•	51432-NF4-771	PIECE, oil lock	—	2	
•	51404-NF4-871	SPRING, C, front cushion	—	(2)		• 15	51437-NF4-761	RING, piston	4	—	
• 4	51402-NF4-003	COLLAR, spring	2	—		•	51437-NF4-771	RING, piston	—	2	
•	51402-NF4-771	COLLAR, spring	—	2							
5	51403-961-000	PLATE, spring joint	2	—		• 16	51440-NF4-761	PIPE, seat	2	—	
	51403-MA0-771	PLATE, spring joint	—	2		•	51440-NF4-771	PIPE, seat	—	2	
• 6	51410-NF4-003	PIPE COMP., front fork	2	—		• 17	51500-NF4-761	FORK ASSY., L front	1	—	
•	51410-NF4-771	PIPE COMP., front fork	—	2		•	51500-NF4-771	FORK ASSY., L front	—	1	
7	51412-446-003	RING, back up	2	—		• 18	51521-NF4-761	CASE COMP. L bottom	1	—	
7	51412-422-003	RING, back up	—	2		•	51521-NF4-771	CASE COMP. L bottom	—	1	
• 8	51414-NF4-003	BUSH, guide	2	—		• 19	52400-NF4-761	CUSHION ASSY., rear	1	—	
	51414-469-003	BUSH, guide	—	2		•	52400-NF4-771	CUSHION ASSY., rear	—	1	
9	51415-KK4-003	BUSH, slide	2	—		• 20	52401-NF4-761	SPRING A, rear cushion	1	—	
	51415-KL4-951	BUSH, slide	—	2		•	52401-NF4-771	SPRING A, rear cushion	—	1	
• 10	51415-NF4-003	COLLAR, rebound	2	—		•	52402-NF4-851	SPRING B, rear cushion	1	—	
						•	52402-NF4-871	SPRING B, rear cushion	—	1	


Block No.

F-5-1

Front fork • Rear cushion '90 MODEL

MEMO

- Front fork oil
Specified oil: ULTRA CUSHION OIL
No. 10 (SEA-10W)
Capacity: 255 cc
Oil level: 104 mm
- Front fork projection: 10 mm
- Rear cushion
Spring preload: 8 mm
Damping adjuster position
Compression: S + 1 1/4 turn
Rebound: H—1 turn



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
•	52403-NF4-851	SPRING C, rear cushion	1	—		•36	91255-NC2-000	OIL-SEAL, 30 x 43 x 10.5	2	—	
•	52403-NF4-871	SPRING C, rear cushion	—	1			91255-MA6-013	OIL-SEAL, 35 x 48 x 11	—	2	
•21	52420-NF4-761	JOINT COMP, upper	1	1		37	91351-KB7-003	DUST-SEAL, B	2	2	
22	52424-GC4-831	RING, stopper	2	2		38	94608-50000	O-RING, 23 x 2.8	2	—	
23	52452-GC4-831	BUSH, DAMPER up	2	2			91317-381-771	O-RING, 28 x 2.4	—	2	
24	52459-GC4-003	SEAT, rear cushion spring	1	1		39	95801-10040-00	BOLT, flange, 10 x 40	1	1	
•25	64105-NF4-000	RUBBER, cowling	5	5		40	95801-10050-00	BOLT, flange, 10 x 50	1	1	
•26	90107-NF4-003	BOLT, hex., 6 x 8	2	2							
27	90116-383-721	BOLT, socket, 8 x 27	2	—							
	90116-KV3-701	BOLT, socket, 8 x 18	—	2							
28	90118-471-000	BOLT, flange, 8 x 37	2	—							
	96300-08040-00	BOLT, flange, DR, 8 x 40	—	2							
29	90304-GA6-003	NUT, axle	1	1							
•30	90306-NF5-003	NUT, lock	1	1							
31	90543-273-000	PACKING, front fork drain cock	2	2							
32	90544-283-000	WASHER, special	2	2							
33	90601-354-000	RING, oil seal stopper	2	—							
	51447-KL4-951	RING, oil seal stopper	—	2							
34	91074-GC4-831	BEARING, spherical 12	1	1							
35	91254-446-003	SEAL, dust, 31 mm	2	—							


Block No.

F-6

**Fuel tank • Seat
'89, '90 MODEL**

MEMO

- Fuel tank capacity: 12 litres
- Gasoline: 100 octane or higher grade
- Oil: Shell Sports SX
- Premixing: 30 : 1



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	16950-ND5-750	COCK ASSY., fuel	1	1		20	90405-HA0-000	WASHER, 9 mm (t=0.8 mm)	N	N	
2	16958-MA2-771	O-RING	1	1			90443-GC8-000	WASHER, 8 mm (t=1.0 mm)	N	N	
• 3	17505-NF4-000	RUBBER, fuel tank mount	1	1		• 21	90651-NC8-000	TY-LAP, 3.6 x 281	6	6	
4	17508-KN5-670	RUBBER, tank mount	1	1		• 22	90652-ND5-000	TY-LAP, 2.4 x 92	1	1	
• 5	17510-NF4-760	TANK COMP., fuel	1	1		23	93404-06016-00	BOLT, WASHER, 6 x 16	2	2	
• 6	17512-ND5-750	FILTER, fuel cap	1	1		24	93404-06020-00	BOLT, WASHER, 6 x 20	2	2	
• 7	17520-NF4-750	CAP ASSY., fuel tank	1	1		25	94252-10100-00	PIN, lock, 10 mm	1	1	
• 8	17528-NF4-000	RUBBER B, fuel tank mount	6	6		26	95001-75295-40	TUBU, fuel, 7.5 x 295	1	1	
9	17624-430-000	PACKING, fuel cap	1	1		27	95002-02120	CLIP, B12, tube	2	2	
• 10	17625-NF4-003	VALVE COMP., check	1	1		28	95002-45000	CLIP, C8, tube	3	3	
• 11	17629-NF4-000	PIN, tank mount	1	1		29	95003-10003-31	V-TUBE, 5 x 8 x 30	1	1	
• 12	19602-NF4-810	TANK, catch, 250	1	1		30	95003-10058-31	V-TUBE, 6 x 9 x 580	1	1	
• 13	64105-NF4-000	RUBBER, cowling	1	1							
• 14	77101-NF4-760	COWL, seat	1	—							
•	77101-NF4-772	COWL, seat	—	1							
• 15	77105-NF4-750	RUBBER, seat rail	2	2							
• 16	77220-NF4-760	RUBBER, seat	1	1							
• 17	77221-NF5-760	RUBBER, seat back	1	1							
• 18	90106-NF4-770	BOLT, cowl set, 6 x 13	2	2							
• 19	90324-MA1-000	COLLAR, fuel tank mount	1	1							

Block No.

F-7


**Expansion chamber
'89, '90 MODEL**

MEMO

- Silicone sealer
: 88883-NF4-000 KE45-W

NOTE

- Japanese spec: With CAUTION PLATE
- For Export use only: Without CAUTION PLATE



Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	18305-NF4-750	SPACER, chamber joint	1 1		• 13	18355-NF4-760	STAY, silencer mount	1 —	
• 2	18306-NF4-750	SEAL, exhaust joint	1 1		• 14	18359-961-000	STAY ASSY., muffler	— 1	
• 3	18307-NF4-760	JOINT COMP., expansion chamber ..	1 —		• 15	18360-NF4-000	PIPE, chamber joint	1 1	
• 4	18310-NF4-760	CHAMBER COMP., expansion	1 —		• 16	18361-NF4-770	SEAL, chamber joint	1 1	
• 5	18310-NF4-770	CHAMBER COMP., expansion	— 1	Japanese spec	17	61103-430-000	RUBBER, fender mount	1 1	
• 6	18310-NF4-720	CHAMBER COMP., expansion	— 1	For export use only	18	90301-473-003	NUT, U. 6 mm	1 1	
• 7	18325-NF4-760	JOINT COMP., silencer	1 —		19	90309-428-731	NUT, flange, 8 mm	1 1	
• 8	18325-NF4-770	JOINT COMP., silencer	— 1		• 20	91081-NF4-003	RIVET, blind, 3.2	8 8	
• 9	18330-NF4-761	SILENCER ASSY.	1 —		21	91301-KR3-003	O-RING, 25.5 x 2.5	2 2	
• 10	18330-NF4-771	SILENCER ASSY.	— 1	Japanese spec	22	94103-06000	WASHER, plain, 6 mm	1 —	
• 11	18330-NF4-721	SILENCER ASSY.	— 1	For export use only	23	95801-06012-08	BOLT, flange, 6 x 12	2 —	
• 12	18332-KS6-000	SPRING, exhaust pipe	2 2		24	95701-06016-00	BOLT, flange, 6 x 16	— 2	
• 13	18332-NF4-810	INNER COMP., silencer	1 —		25	95801-08022-08	BOLT, flange, 8 x 22	1 1	
• 14	18332-NF5-760	INNER COMP., silencer L	— 1		26	95801-08032-08	BOLT, flange, 8 x 32	1 1	
• 15	18333-ND4-760	TUBE, spring	2 2		27	96001-06028-00	BOLT, flange, SH, 6 x 28	4 4	
• 16	18333-NF4-850	OUTER COMP., body	1 —		28	96700-06016-17	BOLT, socket, 6 x 16	3 3	
• 17	18333-NF4-770	OUTER COMP., body	— 1		29	94103-06800	WASHER, plan, 6 mm	— 2	
• 18	18335-NF4-751	GLASS WOOL	1 —						
• 19	18336-NF5-761	GLASS WOOL	— 1						
• 20	18336-KS6-700	COLLAR, silencer mount	1 1						


Block No.

F-8

**Rear wheel
'89 MODEL**

MEMO

- Air pressure: 1.8 kg·f/cm²



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	41102-NF4-760	SPROCKET ASSY., final driven 32T	(1)	(1)		•	42620-NF4-770	COLLAR, rear axle distance	—	1	
•	41103-NF4-760	SPROCKET ASSY., final driven 33T	(1)	(1)		• 11	42701-NF4-003	RIM, 2.15 x 18	1	—	
•	41105-NF4-760	SPROCKET ASSY., final driven 35T	(1)	(1)		•	42711-NF4-811	RIM, 2.50 x 18	1	—	
•	41106-NF4-760	SPROCKET ASSY., final driven 36T	1	1		• 12	42711-ND4-750	TIRE, 2.75 x 3.75-18	1	—	
•	41107-NF4-760	SPROCKET ASSY., final driven 37T	(1)	(1)		•	42711-NF4-771	TIRE, REAR	—	1	
•	41108-NF4-760	SPROCKET ASSY., final driven 38T	(1)	(1)		• 13	42712-ND4-750	TUBE, tire	1	—	
•	41109-NF4-760	SPROCKET ASSY., final driven 39T	(1)	(1)		14	42713-401-681	FLAP, tire	1	—	
•	41110-NF4-760	SPROCKET ASSY., final driven 40T	(1)	(1)		• 15	42720-NC8-000	WEIGHT, balancer, 10G	N	N	
• 2	42301-NF4-000	AXLE, rear wheel	1	1		•	42721-NC8-000	WEIGHT, balancer, 20G	N	N	
• 3	42304-NF4-000	COLLAR, rear wheel side	1	—		16	43122-HA2-010	DISK, rear brake	1	—	
•	42304-NF4-770	COLLAR, rear wheel side	—	1		•	43122-NF4-770	DISK, rear brake	—	1	
• 4	42601-NF4-760	RIM ASSY., rear, 2.15 x 18	1	—		•	43122-NF4-870	DISK, rear brake	—	(1)	お9のモデル
•	42601-NF4-850	RIM ASSY., rear, 2.50 x 18	1	—		17	90105-KR3-000	BOLT, front disk, 8 x 24	4	3	全用する時
•	42600-NF4-771	WHEEL SET, rear, 3.00 x 17	—	1		18	90305-401-680	NUT, axle, 14 mm	1	—	12 4112 用
• 5	42602-NF4-760	HUB, rear wheel	1	—			90305-GE8-003	NUT, U, 14 mm	—	1	
• 6	42615-ND5-750	RUBBER, RR wheel damper	3	3		• 19	90408-NF4-000	WASHER, 15 x 35	1	1	
• 7	42616-NF4-000	WASHER, sprocket	1	1		• 20	90409-NF4-000	WASHER, A, 15 x 35	1	1	
• 8	42617-NF4-000	COLLAR, sprocket	1	—		• 21	90652-NF4-000	CIR-CLIP, internal, 35	1	1	
•	42617-NF4-770	COLLAR, sprocket	—	1		• 22	91052-NF4-000	BEARING, radial ball, 6904UU	1	1	
• 9	42618-NF4-000	WASHER, collar sprocket, 0.2	N	N		23	94201-30250	PIN, splip, 3.0 x 25	1	—	
•	42619-NF4-000	WASHER, collar sprocket, 0.3	N	N							
• 10	42620-NF4-000	COLLAR, rear axle distance	1	—							


Block No.

F-8

**Rear wheel
'89 MODEL**

MEMO

- Air pressure: 1.8 kg·f/cm²



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
24	96140-62020-10	BEARING, radial ball, 6202U	2	2							
25	97480-62182-U0	SPOKKE-SET, B8 x 171	18	—							
26	97714-62181-U0	SPOKKE-SET, B8 x 170.5	18	—							
•27	42704-NF7-000	VALVE, WHEEL	—	1							
28	91357-964-006	O-RING, 31	—	1							


Block No.

F-8-1

Rear wheel '90 MODEL

MEMO

- Air pressure: 2.0 kg·f/cm² (20 MPa)



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	41102-NF4-760	SPROCKET ASSY., final driven 32T	(1)	(1)		•	42620-NF4-770	COLLAR, rear axle distance	—	1	
•	41103-NF4-760	SPROCKET ASSY., final driven 33T	(1)	(1)		• 11	42701-NF4-000	RIM, 2.15 x 18	1	—	
•	41105-NF4-760	SPROCKET ASSY., final driven 35T	(1)	(1)		•	42711-NF4-811	RIM, 2.50 x 18	1	—	
•	41106-NF4-760	SPROCKET ASSY., final driven 36T	1	1		• 12	42711-ND4-750	TIRE, 2.75 x 3.75-18	1	—	
•	41107-NF4-760	SPROCKET ASSY., final driven 37T	(1)	(1)		•	42711-NF4-771	TIRE, REAR	—	1	
•	41108-NF4-760	SPROCKET ASSY., final driven 38T	(1)	(1)		• 13	42712-ND4-750	TUBE, tire	1	—	
•	41109-NF4-760	SPROCKET ASSY., final driven 39T	(1)	(1)		14	42713-401-681	FLAP, tire	1	—	
•	41110-NF4-760	SPROCKET ASSY., final driven 40T	(1)	(1)		• 15	42720-NC8-000	WEIGHT, balancer, 10G	N	N	
• 2	42301-NF4-000	AXLE, rear wheel	1	1		•	42721-NC8-000	WEIGHT, balancer, 20G	N	N	
• 3	42304-NF4-000	COLLAR, rear wheel side	1	—							
•	42304-NF4-770	COLLAR, rear wheel side	—	1							
• 4	42601-NF4-760	RIM ASSY., rear, 2.15 x 18	1	—		16	43122-HA2-010	DISK, rear brake	1	—	
•	42601-NF4-850	RIM ASSY., rear, 2.50 x 18	1	—		•	43122-NF4-770	DISK, rear brake	—	1	
•	42600-NF4-771	WHEEL SET, rear, 3.00 x 17	—	1		•	43122-NF4-870	DISK, rear brake	—	1	1207-90
• 5	42602-NF4-760	HUB, rear wheel	1	—		17	90105-KR3-000	BOLT, front disk, 8 x 24	4	3	
• 6	42615-ND5-750	RUBBER, RR wheel damper	3	3		18	90305-401-680	NUT, axle, 14 mm	1	—	
• 7	42616-NF4-000	WASHER, sprocket	1	1			90305-GE8-003	NUT, U, 14 mm	—	1	
• 8	42617-NF4-000	COLLAR, sprocket	1	—		• 19	90408-NF4-000	WASHER, 15 x 35	1	1	
•	42617-NF4-770	COLLAR, sprocket	—	1		• 20	90409-NF4-000	WASHER, A, 15 x 35	1	1	
• 9	42618-NF4-000	WASHER, collar sprocket, 0.2	N	N		• 21	90652-NF4-000	CIR-CLIP, internal, 35	1	1	
•	42619-NF4-000	WASHER, collar sprocket, 0.3	N	N		• 22	91052-NF4-000	BEARING, radial ball, 6904UU	1	1	
• 10	42620-NF4-000	COLLAR, rear axle distance	1	—		23	94201-30250	PIN, splip, 3.0 x 25	1	—	


Block No.

F-8-1

Rear wheel '90 MODEL

MEMO

- Air pressure: 2.0 kg·f/cm² (20 MPa)



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
24	96140-62020-10	BEARING, radial ball, 6202U	2	2							
25	97480-62182-U0	SPOKKE-SET, B8 x 171	18	—							
26	97714-62181-U0	SPOKKE-SET, B8 x 170.5	18	—							
• 27	42704-NF7-000	VALVE, WHEEL	—	1							
28	91357-964-006	O-RING, 31	—	1							


Block No.

F-9

Rear brake • Rear master cylinder '89, '90 MODEL

MEMO

- Brake fluid: DOT 4




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	04601-ND5-760	CUP, primary	1	1		18	46182-500-013	CIR-CLIP	1	1	
• 2	04602-ND5-760	CUP, secondary	1	1		19	90145-MS9-611	BOLT, oil, 10 x 22	1	1	
3	17370-419-700	PLUG, breather tube	1	1		20	90475-425-000	WASHER, thrust, 30 mm	1	1	
• 4	42305-NF4-750	COLLAR, caliper bracket	1	1		21	90545-300-000	WASHER, oil bolt	4	4	
• 5	43100-NF4-750	CALIPER ASSY., rear	1	—		• 22	90651-NC8-000	TY-LAP, 3.6 x 281	1	1	
• 43100-NF4-770	CALIPER ASSY., rear	—	1			• 23	90652-ND5-000	TY-LAP, 2.4 x 92	1	1	
6	43109-MA3-006	DUST-SEAL	1	1		• 24	91048-NC5-000	ROD, end, 8 mm	2	2	
• 7	43111-NF4-750	TORQUE-ROD, rear brake	1	1		25	94002-08000-0S	NUT, hex, 8 mm	2	2	
8	43209-MA3-006	SEAL, piston	1	1		26	94050-08000	NUT, flange, 8 mm	2	2	
• 9	43310-NF4-000	HOSE, rear brake	1	1		27	94102-08000	WASHER, plain, 8 mm	4	4	
• 10	43500-ND5-750	MASTER CYLINDER ASSY., rear ..	1	—		28	94510-30000	CIR-CLIP, external, 30	1	1	
• 43500-NF4-770	MASTER CYLINDER ASSY., rear ..	—	1			29	95002-02120	CLIP, tube, B12	1	1	
• 11	43502-ND5-750	PISTON, rear	1	—		30	95801-08035-00	BOLT, flange, 8 x 35	2	2	
• 04603-NF4-770	PISTON, rear	—	1								
• 12	43503-NF4-000	V-TUBE, 9 x 13 x 240	1	1							
• 13	43541-ND5-750	CLAMP	1	1							
14	45105-GM9-743	PAD COMP	2	2							
15	45108-GM9-741	SPRING, pad	1	1							
16	45203-MG3-006	PIN, plug	2	2							
17	45215-GE2-006	PIN, hanger	2	2							

Block No.

F-10

Step • Brake pedal '89 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	46500-NF4-000	PEDAL COMP., brake	1	—		16	94101-06000	WASHER, plain, 6 mm	2	2	
•	46500-NF4-770	PEDAL COMP., brake	—	1		17	94102-08000	WASHER, plain, 8 mm	1	1	
• 2	46501-ND4-750	RUBBER, pedal	1	1		18	95701-06016-00	BOLT, flange, 6 x 16	2	—	
• 3	50610-ND5-750	ARM COMP., step	2	—		19	95801-06022-00	BOLT, flange, 6 x 22	2	2	
•	50611-NF4-770	ARM COMP., step	—	2		20	95801-06025-00	BOLT, flange, 6 x 25	1	1	
• 4	50630-NF4-000	HOLDER, R., step	1	—		21	95801-08022-00	BOLT, flange, 8 x 22	1	—	
•	50630-NF4-770	HOLDER, R., step	—	1		22	90113-HB3-000	BOLT, flange, DR, 8 x 62	—	1	
• 5	50640-NF4-000	HOLDER, L., step	1	—		23	52158-HB5-003	ROLLER, chain	—	1	
•	50640-NF4-770	HOLDER, L., step	—	1		24	52159-467-000	COLLAR, chain roller	—	1	
• 6	50641-NF4-770	PLATE COMP., foot guard	2	—		25	95801-08025-00	BOLT, flange 8 x25	—	1	
•	50642-NF4-770	WASHER, 8.2 mm	—	4							
7	52158-KA3-831	ROLLER COMP., chan tensioner	1	—							
•	50643-NF4-770	COLLAR, 16 x 8.2	—	2							
• 8	90104-NF4-000	BOLT, flat, head, 10 x 50	2	—							
• 9	90178-NC8-000	SCREW, 8 x 22	2	2							
10	90218-KJ2-000	BOLT, flange, 8 x 57	1	—							
11	90301-473-003	NUT, U., 6 mm	3	1							
12	90304-GA6-003	NUT, axle	2	—							
13	90309-428-731	NUT, flange, 8 mm	1	3							
14	90407-KK1-000	WASHER, 16.2 mm	2	—							
• 15	90510-NF4-770	BOLT, M STEP	—	2							

Block No.

F-10-1

Step • Brake pedal '90 MODEL



Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	46500-NF4-000	PEDAL COMP., brake	1	—	16	94101-06000	WASHER, plain, 6 mm	2	2
•	46500-NF4-770	PEDAL COMP., brake	—	1	17	94102-08000	WASHER, plain, 8 mm	1	1
• 2	46501-ND4-750	RUBBER, pedal	1	1	18	95701-06016-00	BOLT, flange, 6 x 16	2	—
• 3	50610-ND5-750	ARM COMP., step	2	—	19	95801-06022-00	BOLT, flange, 6 x 22	2	2
•	50611-NF4-770	ARM COMP., step	—	2	20	95801-06025-00	BOLT, flange, 6 x 25	1	1
• 4	50630-NF4-000	HOLDER, R., step	1	—	21	95801-08022-00	BOLT, flange, 8 x 22	1	—
•	50630-NF4-770	HOLDER, R., step	—	1	22	90113-HB3-000	BOLT, flange, DR, 8 x 62	—	1
• 5	50640-NF4-000	HOLDER, L., step	1	—	23	52158-HB5-003	ROLLER, chain	—	1
•	50640-NF4-770	HOLDER, L., step	—	1	24	52159-467-000	COLLAR, chain roller	—	1
• 6	50641-NF4-770	PLATE COMP., foot guard	2	—	25	95801-08025-00	BOLT, flange 8 x25	—	1
•	50642-NF4-770	WASHER, 8.2 mm	—	4					
7	52158-KA3-831	ROLLER COMP., chan tensioner	1	—					
•	50643-NF4-770	COLLAR, 16 x 8.2	—	2					
• 8	90104-NF4-000	BOLT, flat, head, 10 x 50	2	—					
• 9	90178-NC8-000	SCREW, 8 x 22	2	2					
10	90218-KJ2-000	BOLT, flange, 8 x 57	1	—					
11	90301-473-003	NUT, U., 6 mm	3	1					
12	90304-GA6-003	NUT, axle	2	—					
13	90309-428-731	NUT, flange, 8 mm	1	3					
14	90407-KK1-000	WASHER, 16.2 mm	2	—					
• 15	90510-NF4-770	BOLT, M STEP	—	2					


Block No.

F-11

Change pedal • Rear fork '89 MODEL

MEMO

- Drive chain slack: 20~25 mm



Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	24700-NF4-760	PEDAL COMP., change	1	—	•	40535-NF4-761	CHAIN, drive (DID415ER-120RJ) ...	(1) (1)	
•	24700-NF4-770	PEDAL COMP., change	—	1	8	40543-KJ1-700	ADJUSTER, chain	1	1
• 2	24702-NF4-760	ARM, gear change	1	—	• 9	40543-NF4-000	ADJUSTER, chain RH (18)	1	1
•	24702-NF4-770	ARM, gear change	—	1	10	40544-KJ1-700	RETAINER, chain adjuster	2	2
• 3	24706-NF4-760	ROD, change, 230	1	1					
• 4	24711-NC8-000	END, A, rod, 6 mm	1	1	•11	46501-ND4-750	RUBBER, pedal	1	1
• 5	24712-NC8-000	END, B, rod, 6 mm	1	1	•12	52100-NF4-760	FORK ASSY., rear	1	—
					•	52100-NF4-770	FORK ASSY., rear	—	1
• 6	40531-NF4-751	JOINT, RJ, drive chain			•13	52146-NF4-000	COLLAR, rear fork pivot	2	2
		(RK GB415HR).....	1	1	•14	52170-NF4-000	SLIDER, chain up	1	—
•	40531-NF4-761	JOINT, RJ, drive chain			•	52170-NF4-770	SLIDER, chain	—	1
		(DID 415ER).....	(1) (1)		•15	52496-NF4-000	COLLAR, cushion pivot	2	—
•	40530-NF4-751	CHAIN, drive.....			•	52486-ND9-000	COLLAR, cushion pivot	—	2
		(RKGB415HR x 118RJ).....	1	1					
•	40532-NF4-751	CHAIN, drive.....			•16	90121-NF4-003	AXLE, rear fork pivot	1	1
		(RKGB415HR x 112RJ).....	(1) (1)		•17	90301-NC8-000	NUT, hex, 6 mm L.	1	—
•	40533-NF4-751	CHAIN, drive.....				90201-KV3-700	NUT, tie-rod B	—	1
		(RKGB415HR x 114RJ).....	(1) (1)		18	90301-473-003	U-NUT, 6 mm	3	3
•	40534-NF4-751	CHAIN, drive.....			19	90305-MC0-003	U-NUT, 16 mm	1	1
		(RKGB415HR x 116RJ).....	(1) (1)		20	91077-KA3-731	BEARING, spherical, 14	1	—
• 7	40535-NF4-751	CHAIN, drive.....				91074-GC4-831	BEARING, spherical, 12	—	1
		(RK GB415HR x 120RJ).....	(1) 1		21	93500-05012-0A	PAN, screw, 5 x 12	2	—


Block No.

F-11

**Change pedal • Rear fork
'89 MODEL**

MEMO

- Drive chain slack: 20~25 mm



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
	91351-KB7-003	SEAL B, dust	—	2							
22	94002-06000-0S	NUT, hex, 6 mm	1	1							
23	94002-08000-0S	NUT, hex, 8 mm	2	2							
24	94050-08000	NUT, flange, 8 mm	2	2							
25	94101-06000	WASHER, plain, 6 mm	2	2							
26	94520-26000	CIR-CLIP, internal, 26	1	—							
•	52469-NC8-000	SNAP, ring, 22 mm	—	2							
27	95801-06022-00	BOLT, flange, 6 x 22	1	1							
28	95801-06025-00	BOLT, flange, 6 x 25	1	1							
29	96001-06028-00	BOLT, flange, SH., 6 x 28	1	1							
30	93404-06020-00	BOLT-WASHER, 6 x 20	—	1							


Block No.

F-11-1

Change pedal • Rear fork '90 MODEL

MEMO

- Drive chain slack: 20~25 mm



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
• 1	24700-NF4-760	PEDAL COMP., change	1	—		•	40535-NF4-761	CHAIN, drive (DID415ER-120RJ) ...	(1)	(1)	
•	24700-NF4-770	PEDAL COMP., change	—	1		8	40543-KJ1-700	ADJUSTER, chain	1	1	
• 2	24702-NF4-760	ARM, gear change	1	—		• 9	40543-NF4-000	ADJUSTER, chain RH (18)	1	1	
•	24702-NF4-770	ARM, gear change	—	1		10	40544-KJ1-700	RETAINER, chain adjuster	2	2	
• 3	24706-NF4-760	ROD, change, 230	1	1		• 11	46501-ND4-750	RUBBER, pedal	1	1	
• 4	24711-NC8-000	END, A, rod, 6 mm	1	1		• 12	52100-NF4-760	FORK ASSY., rear	1	—	
• 5	24712-NC8-000	END, B, rod, 6 mm	1	1		•	52100-NF4-770	FORK ASSY., rear	—	1	
• 6	40531-NF4-751	JOINT, RJ, drive chain				• 13	52146-NF4-000	COLLAR, rear fork pivot	2	2	
		(RK GB415HR).....	1	1		• 14	52170-NF4-000	SLIDER, chain up	1	—	
•	40531-NF4-761	JOINT, RJ, drive chain				•	52170-NF4-770	SLIDER, chain	—	1	
		(DID 415ER).....	(1)	(1)		• 15	52496-NF4-000	COLLAR, cushion pivot	2	—	
•	40530-NF4-751	CHAIN, drive.....				•	52486-ND9-000	COLLAR, cushion pivot	—	2	
		(RKGB415HR x 118RJ).....	1	1		• 16	90121-NF4-003	AXLE, rear fork pivot	1	1	
•	40532-NF4-751	CHAIN, drive.....				• 17	90301-NC8-000	NUT, hex, 6 mm L.	1	—	
		(RKGB415HR x 112RJ).....	(1)	(1)			90201-KV3-700	NUT, tie-rod B	—	1	
•	40533-NF4-751	CHAIN, drive.....					90301-473-003	U-NUT, 6 mm	3	3	
		(RKGB415HR x 114RJ).....	(1)	(1)		18	90305-MC0-003	U-NUT, 16 mm	1	1	
•	40534-NF4-751	CHAIN, drive.....				20	91077-KA3-731	BEARING, spherical, 14	1	—	
		(RKGB415HR x 116RJ).....	(1)	(1)			91074-GC4-831	BEARING, spherical, 12	—	1	
• 7	40535-NF4-751	CHAIN, drive.....				21	93500-05012-0A	PAN, screw, 5 x 12	2	—	
		(RK GB415HR x 120RJ).....	(1)	1							


Block No.

F-11-1

Change pedal • Rear fork '90 MODEL

MEMO

- Drive chain slack: 20~25 mm




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
	91351-KB7-003	SEAL B, dust	—	2							
22	94002-06000-0S	NUT, hex, 6 mm	1	1							
23	94002-08000-0S	NUT, hex, 8 mm	2	2							
24	94050-08000	NUT, flange, 8 mm	2	2							
25	94101-06000	WASHER, plain, 6 mm	2	2							
26	94520-26000	CIR-CLIP, internal, 26	1	—							
•	52469-NC8-000	SNAP, ring, 22 mm	—	2							
27	95801-06022-00	BOLT, flange, 6 x 22	1	1							
28	95801-06025-00	BOLT, flange, 6 x 25	1	1							
29	96001-06028-00	BOLT, flange, SH., 6 x 28	1	1							
30	93404-06020-00	BOLT-WASHER, 6 x 20	—	1							

Block No.

F-12

Ignition coil • Frame body '89 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	30500-NF4-751	COIL, ignition	1	—	• 18	90506-NF4-000	COLLAR, bearing needle	1	1
• 2	30500-ND4-761	COIL, ignition	—	1	19	90543-273-000	PACKING, frontn fork drain cock ...	1	1
2	30700-KM9-153	CAP ASSY., noise suppressor	1	1	• 20	90651-NC8-000	TY-LAP, 3.6 x 281	2	2
• 3	50100-NF4-760	BODY COMP., frame	1	—	• 21	90652-NF4-000	CIR-CLIP, internal, 35	1	1
• 4	50100-NF4-770	BODY COMP., frame	—	1	• 22	91053-NF4-000	BEARING, needle	1	1
• 5	50184-NF4-750	ROD, engine torque	1	1	• 23	91055-NF4-000	RODEND A, engine torque	1	1
• 6	50200-NF4-000	MOUNT A COMP., engine	2	2	• 24	91056-NF4-000	RODEND B, engine torque	1	1
• 7	50258-NF4-000	HANGER, rear engine	1	1	25	92101-05028-0A	BOLT, hex., 5 x 28	2	2
• 8	50500-ND4-750	STAND, main	1	1	26	93500-05012-0A	SCREW, pan, 5 x 12	1	—
• 9	52180-NF4-000	SLIDER, chain lower	1	—	27	94002-08000-0S	NUT, hex., 8 mm	1	1
• 10	17521-HA7-670	RUBBER, protr	1	1	28	94012-10000-0S	NUT, castle, 10 mm	1	1
• 11	80100-NF4-760	FENDER, rear	1	1	29	94102-08000	WASHER, plain, 8 mm	4	4
• 12	90103-NF4-000	BOLT, flange, 10 x 247	1	1	30	94103-05800	WASHER, plain, 5 mm	2	2
11	90117-MG8-000	BOLT, flange, 10 x 135	1	1	31	94201-25200	PIN, split, 2.5 x 20	1	1
• 13	90134-ND5-000	BOLT, flange, 6 x 10	1	1	32	95801-08028-00	BOLT, flange, 8 x 28	2	2
13	90301-MG8-000	NUT, flange, 5 mm	2	2	33	95801-08045-00	BOLT, flange, 8 x 45	2	2
• 14	90302-NF4-000	L-NUT, 8 mm	1	1	34	96001-06022-00	BOLT, flange, SH, 6 x 22	2	—
15	90304-GA6-003	NUT, axle	1	1		96001-06020-00	BOLT, flange, SH, 6 x 20	—	2
• 16	90501-NF4-750	COLLAR, 20 x 10 x 51	1	1	35	96150-60030-10	BEARING, ball, radial, 6003	2	2
• 17	90502-NF4-760	COLLAR, 20 x 10 x 34	1	1					

Block No.

F-12-1


Ignition coil • Frame body '90 MODEL



Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
• 1	30500-NF4-751	COIL, ignition	1	—	• 18	90506-NF4-000	COLLAR, bearing needle	1	1
• 2	30700-KM9-153	CAP ASSY., noise suppressor	1	1	• 19	90543-273-000	PACKING, frontn fork drain cock ...	1	1
• 3	50100-NF4-760	BODY COMP., frame	1	—	• 20	90651-NC8-000	TY-LAP, 3.6 x 281	2	2
• 4	50184-NF4-750	ROD, engine torque	1	1	• 21	90652-NF4-000	CIR-CLIP, internal, 35	1	1
• 5	50200-NF4-000	MOUNT A COMP., engine	2	2	• 22	91053-NF4-000	BEARING, needle	1	1
• 6	50258-NF4-000	HANGER, rear engine	1	1	• 23	91055-NF4-000	RODEND A, engine torque	1	1
• 7	50500-ND4-750	STAND, main	1	1	• 24	91056-NF4-000	RODEND B, engine torque	1	1
• 8	52180-NF4-000	SLIDER, chain lower	1	—	• 25	92101-05028-0A	BOLT, hex ., 5 x 28	2	2
• 9	17521-HA7-670	RUBBER, protr	1	1	26	93500-05012-0A	SCREW, pan, 5 x 12	1	—
• 10	80100-NF4-760	FENDER, rear	1	1	27	94002-08000-0S	NUT, hex., 8 mm	1	1
• 11	90103-NF4-000	BOLT, flange, 10 x 247	1	1	28	94012-10000-0S	NUT, castle, 10 mm	1	1
11	90117-MG8-000	BOLT, flange, 10 x 135	1	1	29	94102-08000	WASHER, plain, 8 mm	4	4
• 12	90134-ND5-000	BOLT, flange, 6 x 10	1	1	30	94103-05800	WASHER, plain, 5 mm	2	2
13	90301-MG8-000	NUT, flange, 5 mm	2	2	31	94201-25200	PIN, split, 2.5 x 20	1	1
• 14	90302-NF4-000	L-NUT, 8 mm	1	1	32	95801-08028-00	BOLT, flange, 8 x 28	2	2
15	90304-GA6-003	NUT, axle	1	1	33	95801-08045-00	BOLT, flange, 8 x 45	2	2
• 16	90501-NF4-750	COLLAR, 20 x 10 x 51	1	1	34	96001-06022-00	BOLT, flange, SH, 6 x 22	2	—
• 17	90502-NF4-760	COLLAR, 20 x 10 x 34	1	1		96001-06020-00	BOLT, flange, SH, 6 x 20	—	2
					35	96150-60030-10	BEARING, ball, radial, 6003	2	2

Block No.

F-13 **Radiator**




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	18421-MK3-000	RUBBER, radiator mount	1	1		16	94252-10100	PIN, lock, 10 mm	4	2	
• 2	19010-NF4-751	RADIATOR ASSY.	1	—		17	94252-12000	PIN, lock, 12 mm	1	1	
•	19010-NF4-771	RADIATOR ASSY.	—	1		18	95002-02100	CLIP, B10, tube	1	1	
3	19045-MB0-702	CAP COMP.	1	1		19	95003-14023-10	V-TUBE, 6 x 9 x 230	1	1	
• 4	19051-NF4-000	COLLAR, radiator	1	1		20	95701-06016-00	BOLT, flange, 6 x 16	—	2	
• 5	19052-NF4-000	STAY, radiator	2	—							
•	19052-NF4-770	STAY R, radiator	—	1							
• 6	19112-NF4-760	SHROUD, radiator	1	—							
•	19112-NF4-770	SHROUD, radiator	—	1							
• 7	19502-NF4-000	HOSE, A. water	1	1							
• 8	19503-NF4-750	HOSE, B. water	1	1							
9	19506-KA4-000	CLAMP, water hose	4	—							
	19506-KS6-700	CLAMP, water hose	—	4							
• 10	19601-NF4-750	TANK, catch	1	1							
11	33712-KC5-003	GROMMET, taillight mount	4	2							
• 12	90651-NC8-000	TY-LAP, 3.6 x 281	2	1							
• 13	91080-NC8-300	RIVET, 3.2 x 6.4	6	4							
14	94102-10000	WASHER, plain, 10 mm	5	2							
15	94201-20150	PIN, split, 2.0 x 15	1	—							
•	19053-NF4-770	STAY L., radiator	—	1							

Block No.

F-14

Tachometer • Cowling '89 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
1	17521-HA7-670	RUBBER, protector	1	1		•15	64110-NF4-760	BOX, carburetor	1	1	
2	19114-MF9-000	RUBBER, water guide	2	2		•16	64210-NF4-000	STAY, front cowl side	1	—	
3	19615-GJ5-000	RUBBER, shroud mount	1	1		•	64210-NF4-770	STAY, front cowl side	—	2	
• 4	30400-NF4-003	UNIT ASSY., CDI	1	—		•17	64240-NF4-000	STAY, front cowl up	2	2	
•	30400-NF4-771	UNIT ASSY., CDI	—	1		•18	90106-NF4-770	BOLT, cowl set, 6 x 13	5	5	
• 5	32110-NF4-000	SUB CORD, engine	1	—		19	90301-473-003	U-NUT, 6 mm	3	1	
•	37260-NF4-770	UNIT, tachometer	—	1		•20	90310-NF4-000	NUT, self lock, 3 mm	7	7	
• 6	37250-NF4-008	TACHOMETER ASSY.	1	—		•21	90651-NC8-000	TY-LAP, 3.6 x 281	3	3	
•	37250-NF4-771	TACHOMETER ASSY.	—	1		•22	90654-NC8-000	GROMET, fastener	6	6	
• 7	37460-NF4-030	METER ASSY., water temp	1	1		•23	90655-NF5-760	STUD, fastener	6	—	
• 8	50803-ND4-750	NUT, cowl stay	5	5		•	90655-NC8-000	STUD, fastener, 35	—	6	
• 9	50810-NF4-760	STAY COMP., center front cowl	1	—		•24	90656-NF5-760	SPRING, fastener	6	—	
•	50810-NF4-770	STAY COMP., center front cowl	—	1		•	90653-NC8-000	SPRING, fastener, 35	—	6	
•10	50811-ND4-750	BAND, D=25.4	1	—		•25	91080-NC8-300	RIVET, 3.2 x 6.4	12	12	
•	50811-NF4-770	BAND, D=25.4	—	1							
•11	50815-NF4-000	PANEL, meter	1	1		26	93404-06040-00	BOLT, washer, 6 x 40	2	—	
•12	64100-NF4-760	COWLING, front	1	—		27	93500-03010-0A	SCREW, pan, 3 x 10	7	7	
•	64100-NF4-770	COWLING, front	—	1		28	94101-03000	WASHER, plain, 3 mm	14	14	
•13	64101-NF4-760	SCREEN	1	—		29	94201-25300	PIN, split, 2.5 x 30	4	4	
•	64101-NF4-770	SCREEN	—	1		30	94252-16100	PIN, lock, 16 mm	4	4	
•14	64109-ND5-750	SHEET, heat proof	1	1							

Block No.

F-14

Tachometer • Cowling '89 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89 '90	Remarks
31	95014-62200	BAND B2, wire	3 3						
32	96001-06022-00	BOLT, flange, SH, 6 x 22	1 —						
	96001-06032-00	BOLT, flange, SH, 6 x 32	— 1						
•33	64105-NF4-000	RUBBER, cowling	1 1						

Block No.

F-14-1

Tachometer • Cowling '90 MODEL




Ref. No.	Part No.	Description	Reqd. No. '89	'90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	'90	Remarks
1	17521-HA7-670	RUBBER, protector	1	1		•15	64110-NF4-760	BOX, carburetor	1	1	
2	19114-MF9-000	RUBBER, water guide	2	2							
3	19615-GJ5-000	RUBBER, shroud mount	1	1		•16	64210-NF4-000	STAY, front cowl side	1	—	
• 4	30400-NF4-003	UNIT ASSY., CDI	1	—		•	64210-NF4-770	STAY, front cowl side	—	2	
•	30400-NF4-771	UNIT ASSY., CDI	—	1		•17	64240-NF4-000	STAY, front cowl up	2	2	
• 5	32110-NF4-000	SUB CORD, engine	1	—		•18	90106-NF4-770	BOLT, cowl set, 6 x 13	5	5	
•	37260-NF4-770	UNIT, tachometer	—	1		19	90301-473-003	U-NUT, 6 mm	3	1	
						•20	90310-NF4-000	NUT, self lock, 3 mm	7	7	
• 6	37250-NF4-008	TACHOMETER ASSY.	1	—							
•	37250-NF4-771	TACHOMETER ASSY.	—	1		•21	90651-NC8-000	TY-LAP, 3.6 x 281	3	3	
• 7	37460-NF4-030	METER ASSY., water temp	1	1		•22	90654-NC8-000	GROMET, fastener	6	6	
• 8	50803-ND4-750	NUT, cowl stay	5	5		•23	90655-NF5-760	STUD, fastener	6	—	
• 9	50810-NF4-760	STAY COMP., center front cowl	1	—		•	90655-NC8-000	STUD, fastener, 35	—	6	
•	50810-NF4-770	STAY COMP., center front cowl	—	1		•24	90656-NF5-760	SPRING, fastener	6	—	
•10	50811-ND4-750	BAND, D=25.4	1	—		•	90653-NC8-000	SPRING, fastener, 35	—	6	
•	50811-NF4-770	BAND, D=25.4	—	1		•25	91080-NC8-300	RIVET, 3.2 x 6.4	12	12	
•11	50815-NF4-000	PANEL, meter	1	1		26	93404-06040-00	BOLT, washer, 6 x 40	2	—	
•12	64100-NF4-760	COWLING, front	1	—		27	93500-03010-0A	SCREW, pan, 3 x 10	7	7	
•	64100-NF4-770	COWLING, front	—	1		28	94101-03000	WASHER, plain, 3 mm	14	14	
•13	64101-NF4-760	SCREEN	1	—		29	94201-25300	PIN, split, 2.5 x 30	4	4	
•	64101-NF4-770	SCREEN	—	1		30	94252-16100	PIN, lock, 16 mm	4	4	
•14	64109-ND5-750	SHEET, heat proof	1	1							

Block No.

F-14-1

Tachometer • Cowling '90 MODEL



Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks	Ref. No.	Part No.	Description	Reqd. No. '89	Reqd. No. '90	Remarks
31	95014-62200	BAND B2, wire	3	3							
32	96001-06022-00	BOLT, flange, SH, 6 x 22	1	—							
	96001-06032-00	BOLT, flange, SH, 6 x 32	—	1							
• 33	64105-NF4-000	RUBBER, cowling	1	1							

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
04000		13000		16015-NF4-003	E-10	17510-NF4-760	F- 6
04101-NF4-000	E- 6	13100-NF4-770	E- 7	16016-NF4-003	E-10	17512-ND5-750	F- 6
04601-ND5-760	F- 9	13100-NF5-760	E- 7	16022-ND5-751	E-10	17520-NF4-750	F- 6
04602-ND5-760	F- 9	13111-NH3-000	E- 7	16046-ND4-751	E-10	17521-HA7-670	F-12
04603-NF4-770	F- 9	13112-ML0-720	E- 7	16050-KA4-771	E-10		F-12-1
		13121-NF4-751	E- 7	16100-NF4-761	E-10		F-14
		13300-NF4-770	E- 7	16111-ND5-751	E-10		F-14-1
		13331-360-000	E- 7	16118-121-014	E-10	17528-NF4-000	F- 6
11000		13615-KS6-700	E- 5	16120-ND5-751	E-10	17624-430-000	F- 6
11010-NF4-770	E- 6	13617-KS6-700	E- 5	16121-ND5-751	E-10	17625-NF4-003	F- 6
11011-NF4-770	E- 6			16162-ND4-751	E-10	17629-NF4-000	F- 6
11012-NF4-750	E- 6			16179-428-671	E-10	17910-NF4-000	F- 1
11191-KS6-880	E- 6	14000		16185-KA3-761	E-10		
11211-GC4-701	E- 6			16196-ND5-751	E-10	18000	
11340-NF4-750	E- 3	14100-NF4-760	E- 6	16201-NF4-760	E-10		
11350-KS6-701	E- 2	14100-NF4-771	E- 6	16202-NF4-760	E-10	18221-NF4-760	E- 1
	E- 2-1	14132-KS6-880	E- 6	16203-NF4-760	E-10	18305-NF4-750	F- 7
11352-KS6-700	E- 2	14111-NF4-760	E- 6	16204-NF4-760	E-10	18306-NF4-750	F- 7
	E- 2-1			16205-NF4-760	E-10	18307-NF4-760	F- 7
11394-NF4-760	E- 3			16206-NF4-760	E-10	18307-NF4-770	F- 7
		15000		16207-NF4-760	E- 6	18310-NF4-720	F- 7
				16220-KS6-700	E- 6	18310-NF4-760	F- 7
12000		15611-ND5-000	E- 3	16220-NF4-770	E- 6	18310-NF4-870	F- 7
12100-NF4-760	E- 1			16223-KA3-740	F- 6	18325-NF4-760	F- 7
12100-NF4-770	E- 1	16000		16950-ND5-750	F- 6	18325-NF4-770	F- 7
12191-KS6-880	E- 1			16958-MA2-771	F- 6	18330-NF4-761	F- 7
12200-NF4-760	E- 1	16010-KA3-004	E-10			18330-NF4-771	F- 7
12212-ND5-003	E- 1	16011-KA3-741	E-10	17000		18330-NF4-721	F- 7
12213-ND5-000	E- 1	16012-NF4-760	E-10	17370-419-700	F- 9	18331-NF4-760	E- 1
		16013-KA3-741	E-10	17505-NF4-000	F- 6	18332-KS6-000	F- 7
		16014-NF4-003	E-10	17508-KN5-670	F- 6	18332-NF4-810	F- 7
						18332-NF5-760	F- 7

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
18333-ND4-760	F- 7	19502-NF4-000	F-13	23221-NF4-760	E- 8	23472-ND4-000	E- 8
18333-NF4-770	F- 7	19503-NF4-750	F-13	23225-ND4-000	E- 8	23481-NF4-760	E- 8
18333-NF4-850	F- 7	19506-KA4-000	F-13	23411-NF4-750	E- 8	23481-NF4-850	E- 8
18335-NF4-751	F- 7	19506-KS6-700	E- 4	23411-NF4-850	E- 8	23481-NF4-860	E- 8
18336-KS6-700	F- 7		F-13	23411-NF4-910	E- 8	23491-NF4-000	E- 8
18336-NF5-761	F- 7	19601-NF4-750	F-13	23412-NF4-750	E- 8	23491-NF4-850	E- 8
18355-NF4-770	F- 7	19602-NF4-810	F- 6	23421-NF4-000	E- 8	23501-NF4-000	E- 8
18355-NF4-760	F- 7	19615-GJ5-000	F-14	23421-NF4-810	E- 8	23802-NF4-910	E- 8
18359-961-000	F- 7		F-14-1	23421-NF4-850	E- 8	23803-NF4-750	E- 8
18360-NF4-000	F- 7			23422-GB4-770	E- 8	23804-NF4-910	E- 8
18361-NF4-770	F- 7			23431-NF4-750	E- 8		
18421-MK3-000	F-13	22000		23431-NF4-850	E- 8		
				23431-NF4-910	E- 8	24000	
		22100-NF4-770	E- 5	23432-NF4-750	E- 8		
19000		22120-NF4-750	E- 5	23441-NF4-000	E- 8	24211-NF4-770	E- 9
		22201-NF4-000	E- 5	23441-NF4-850	E- 8	24221-NF4-770	E- 9
19010-NF4-751	F-13	22203-NF4-761	E- 5	23442-NF4-850	E- 8	24231-NF4-770	E- 9
19010-NF4-771	F-13	22321-KF0-000	E- 5	23443-NF4-850	E- 8	24265-KA3-760	E- 9
19045-MB0-702	F-13	22351-NF4-760	E- 5	23444-NF4-850	E- 8	24266-KA3-760	E- 9
19051-NF4-000	F-13	22352-KA4-000	E- 5	23445-NF4-850	E- 8	24311-NF4-760	E- 9
19052-NF4-000	F-13	22401-KA3-710	E- 5	23446-NF4-850	E- 8	24312-KA3-741	E- 9
19052-NF4-770	F-13	22810-KS6-700	E- 6	23447-NF4-850	E- 8	24315-KA3-710	E- 9
19053-NF4-770	F-13	22815-KS6-700	E- 6	23448-NF4-850	E- 8	24320-KS6-700	E- 9
19112-NF4-760	F-13	22821-KS6-700	E- 6	23451-NF4-010	E- 8	24322-HA0-000	E- 9
19112-NF4-770	F-13	22850-KZ4-000	E- 5	23451-NF4-850	E- 8	24324-KA3-740	E- 9
19114-MF9-000	F-14	22870-NF4-000	F- 1	23451-NF4-86	E- 8	24326-360-000	E- 9
	F-14-1			23456-KA3-000	E- 8	24328-KS6-700	E- 9
19215-KA3-740	E- 4			23461-NF4-000	E- 8	24329-KA3-740	E- 9
19221-KS6-700	E- 4	23000		23461-NF4-850	E- 8	24430-KA3-740	E- 9
19222-KS6-700	E- 4			23461-NF4-860	E- 8	24435-NF4-760	E- 9
19229-KS6-880	E- 4	23210-NF4-760	E- 8	23471-NF4-760	E- 8	24610-KS6-700	E- 9
19240-KS6-700	E- 4	23210-NF4-850	E- 8	23471-NF4-850	E- 8	24651-KV3-000	E- 9
19501-NF4-000	E- 4	23210-NF4-860	E- 8	23471-NF4-860	E- 8	24700-NF4-760	F-11

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
24700-NF4-770	F-11-1	31000		37000			F-11-1
	F-11					40544-KJ1-700	F-11
24702-NF4-760	F-11-1	31100-NF4-751	E- 2	37250-NF4-008	F-14		F-11-1
	F-11		E- 2-1		F-14-1		
24702-NF4-770	F-11-1	31100-NF4-771	E- 2	37250-NF4-771	F-14		
	F-11		E- 2-1		F-14-1	41000	
24706-NF4-760	F-11-1	31110-NF4-751	E- 2	37260-NF4-770	F-14		
	F-11		E- 2-1		F-14-1	41102-NF4-760	F- 8
24711-NC8-000	F-11-1	31110-NF4-771	E- 2	37460-NF4-030	F-14		F- 8-1
	F-11		E- 2-1		F-14-1	41103-NF4-760	F- 8
24712-NC8-000	F-11-1	31120-NF4-751	E- 2				F- 8-1
	F-11		E- 2-1			41105-NF4-760	F- 8
	F-11-1	31120-NF4-771	E- 2	40000			F- 8-1
			E- 2-1			41106-NF4-760	F- 8
		31901-NF4-771	E- 1	40530-NF4-751	F-11		F- 8-1
28000		31902-NF4-871	E- 1		F-11-1	41107-NF4-760	F- 8
		31910-NF4-000	E- 1	40531-NF4-751	F-11		F- 8-1
28237-KS6-000	E- 5				F-11-1	41108-NF4-760	F- 8
28237-NF4-770	E- 5			40531-NF4-761	F-11		F- 8-1
		32000			F-11-1	41109-NF4-760	F- 8
				40532-NF4-751	F-11		F- 8-1
30000		32110-NF4-000	F-14		F-11-1	41110-NF4-760	F- 8
			F-14-1	40533-NF4-751	F-11		F- 8-1
30400-NF4-003	F-14				F-11-1		
	F-14-1			40534-NF4-751	F-11		
30400-NF4-771	F-14	33000			F-11-1	42000	
	F-14-1			40535-NF4-751	F-11		
30500-ND4-761	F-12	33712-KC5-003	F-13		F-11-1	42301-NF4-000	F- 8
	F-12-1			40535-NF4-761	F-11		F- 8-1
30500-NF4-751	F-12				F-11-1	42304-NF4-000	F- 8
	F-12-1	35000		40543-KJ1-700	F-11		F- 8-1
30700-KM9-153	F-12				F-11-1	42304-NF4-770	F- 8
	F-12-1	35130-NF4-000	F- 1	40543-NF4-000	F-11		F- 8-1

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
42305-NF4-750	F- 9	42711-NF4-771	F- 8		F- 8-1		F- 3-1
42600-NF4-771	F- 8		F- 8-1	43209-MA3-006	F- 9	44711-NF4-771	F- 3
	F- 8-1	42711-NF4-811	F- 8	43310-NF4-000	F- 9		F- 3-1
42601-NF4-760	F- 8		F- 8-1	43352-568-003	F- 4		
	F- 8-1	42712-ND4-750	F- 3		F- 4-1		
42601-NF4-850	F- 8		F- 3-1	43353-461-771	F- 4	45000	
	F- 8-1		F- 8		F- 4-1		
42602-NF4-760	F- 8		F- 8-1	43500-ND5-750	F- 9	45105-GM9-743	F- 9
	F- 8-1	42713-401-681	F- 3	43500-NF4-770	F- 9	45105-NF4-770	F- 4
42615-ND5-750	F- 8		F- 3-1	43502-ND5-750	F- 9		F- 4-1
	F- 8-1		F- 8	43503-NF4-000	F- 9	45105-NF4-810	F- 4
42616-NF4-000	F- 8		F- 8-1	43541-ND5-750	F- 9		F- 4-1
	F- 8-1	42720-NC8-000	F- 3			45106-NF4-770	F- 4
42617-NF4-000	F- 8		F- 3-1				F- 4-1
	F- 8-1		F- 8	44000		45108-GM9-741	F- 9
42617-NF4-770	F- 8		F- 8-1			45108-ML4-000	F- 4
	F- 8-1	42721-NC8-000	F- 3	44301-NF4-000	F- 3		F- 4-1
42618-NF4-000	F- 8		F- 3-1		F- 3-1	45108-ML7-921	F- 4
	F- 8-1		F- 8	44301-NF4-770	F- 3		F- 4-1
42619-NF4-000	F- 8		F- 8-1		F- 3-1	45109-166-006	F- 4
	F- 8-1			44303-NF4-000	F- 3		F- 4-1
42620-NF4-000	F- 8				F- 3-1	45109-GE2-006	F- 4
	F- 8-1	43000		44600-NF4-770	F- 3		F- 4-1
42620-NF4-770	F- 8				F- 3-1	45120-NF4-771	F- 3
	F- 8-1	43100-NF4-750	F- 9	44601-NF4-760	F- 3		F- 3-1
42701-NF4-000	F- 8	43100-NF4-770	F- 9		F- 3-1	45120-NF4-871	F- 3
	F- 8-1	43109-MA3-006	F- 9	44602-NF4-760	F- 3		F- 3-1
42704-NF7-000	F- 3	43111-NF4-750	F- 9		F- 3-1	45124-NF4-870	F- 3
	F- 3-1	43122-HA2-010	F- 8	44620-NF4-000	F- 3		F- 3-1
	F- 8		F- 8-1		F- 3-1	45125-NF4-761	F- 4
	F- 8-1	43122-NF4-770	F- 8	44701-NF4-003	F- 3		F- 4-1
42711-ND4-750	F- 8		F- 8-1		F- 3-1	45125-NF4-771	F- 4
	F- 8-1	43122-NF4-870	F- 8	44711-ND4-750	F- 3		F- 4-1

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
45200-NF4-760	F- 4		F- 4-1	50610-ND5-750	F-10	51000	
	F- 4-1	45530-NF4-760	F- 4		F-10-1		
45200-NF4-770	F- 4		F- 4-1	50611-NF4-770	F-10	51400-NF4-761	F- 5
	F- 4-1				F-10-1	51400-NF4-771	F- 5
45203-MG3-006	F- 9			50630-NF4-770	F-10	51401-NF4-003	F- 5
45203-MG3-016	F- 4	46000			F-10-1	51401-NF4-771	F- 5
	F- 4-1			50630-NF4-000	F-10	51401-NF4-813	F- 5
45209-166-006	F- 4	46182-500-013	F- 9		F-10-1	51401-NF4-823	F- 5
	F- 4-1	46500-NF4-000	F-10	50640-NF4-770	F-10	51402-NF4-003	F- 5
45209-GE2-006	F- 4		F-10-1		F-10-1	51402-NF4-771	F- 5
	F- 4-1	46500-NF4-770	F-10	50640-NF4-000	F-10	51403-961-000	F- 5
45215-GE2-006	F- 9		F-10-1		F-10-1	51403-MA0-771	F- 5
45215-KA3-731	F- 4	46501-ND4-750	F-10	50641-NF4-770	F-10	51403-NF4-871	F- 5
	F- 4-1		F-10-1		F-10-1	51404-NF4-871	F- 5
45215-ML7-922	F- 4		F-11	50642-NF4-770	F-10	51410-NF4-003	F- 5
	F- 4-1		F-11-1		F-10-1	51410-NF4-771	F- 5
45250-NF4-013	F- 3			50643-NF4-770	F-10	51412-422-003	F- 5
	F- 3-1				F-10-1	51412-446-003	F- 5
45500-NF4-003	F- 4	50000		50803-ND4-750	F-14	51412-NF4-771	F- 5
	F- 4-1				F-14-1	51414-469-003	F- 5
45500-NF4-771	F- 4	50100-NF4-770	F-770	50810-NF4-760	F-14	51414-NF4-003	F- 5
	F- 4-1		F-12-1		F-14-1	51415-KK4-003	F- 5
45513-MB4-673	F- 4	50100-NF4-760	F-12	50810-NF4-770	F-14	51415-KL4-951	F- 5
	F- 4-1		F-12-1		F-14-1	51415-NF4-003	F- 5
45517-166-006	F- 4	50184-NF4-750	F-12	50811-ND4-750	F-14	51416-NF4-003	F- 5
	F- 4-1		F-12-1		F-14-1	51417-ND4-000	F- 5
45518-MB4-671	F- 4	50200-NF4-000	F-12	50811-NF4-770	F-14	51421-NF4-761	F- 5
	F- 4-1		F-12-1		F-14-1	51421-NF4-771	F- 5
45520-MA5-672	F- 4	50252-NF4-750	F- 5	50815-NF4-000	F-14	51432-NF4-003	F- 5
	F- 4-1	50258-NF4-000	F-12		F-14-1	51432-NF4-771	F- 5
45530-471-831	F- 4		F-12-1			51437-NF4-761	F- 5
	F- 4-1	50500-ND4-750	F-12			51437-NF4-771	F- 5
45530-MN9-305	F- 4		F-12-1			51440-NF4-761	F- 5

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
51440-NF4-771	F- 5	52402-NF4-851	F- 5		F- 4-1	53700-NF4-771	F- 2
51447-KL4-951	F- 5-1	52402-NF4-871	F- 5	53172-430-003	F- 1		
51450-NF4-771	F- 5	52403-NF4-851	F- 5-1	53172-MJ4-006	F- 4		
51500-NF4-761	F- 5	52403-NF4-871	F- 5-1		F- 4-1	61000	
51500-NF4-771	F- 5	52420-NF4-761	F- 5-1	53173-376-000	F- 1		
51521-NF4-761	F- 5	52424-GC4-831	F- 5-1	53173-MJ4-006	F- 4	61100-NF4-000	F- 2
51521-NF4-771	F- 5	52452-GC4-831	F- 5-1		F- 4-1	61100-NF4-770	F- 2
		52459-GC4-003	F- 5-1	53174-463-770	F- 4	61103-430-000	F- 7
		52469-NC8-000	F-11		F- 4-1		
52000			F-11-1	53174-MJ4-006	F- 4		
		52486-ND9-000	F-11		F- 4-1	64000	
52100-NF4-760	F-11		F-11-1	53175-MJ4-006	F- 4		
	F-11-1	52496-NF4-000	F-11		F- 4-1	64100-NF4-760	F-14
52100-NF4-770	F-11		F-11-1	53176-MJ4-016	F- 4		F-14-1
	F-11-1				F- 4-1	64100-NF4-770	F-14
52146-NF4-000	F-11			53177-KV0-006	F- 4		F-14-1
	F-11-1	53000			F- 4-1	64101-NF4-760	F-14
52158-HB5-003	F-10			53178-399-700	F- 1		F-14-1
	F-10-1	53105-NF4-770	F- 1	53179-MJ4-016	F- 4	64101-NF4-770	F-14
52158-KA3-831	F-10	53111-NF4-770	F- 1		F- 4-1		F-14-1
	F-10-1	53112-ND4-760	F- 1	53192-KA3-700	F- 1	64105-NF4-000	F- 5-1
52159-467-000	F-10	53112-NF4-770	F- 1	53200-NF4-760	F- 2		F- 6
	F-10-1	53122-ND4-760	F- 1	53200-NF4-770	F- 2		F-14
52170-NF4-000	F-11	53122-NF4-770	F- 1	53200-NF4-850	F- 2		F-14-1
	F-11-1	53141-NF4-003	F- 1	53200-NF4-870	F- 2	64109-ND5-750	F-14
52170-NF4-770	F-11	53165-422-000	F- 1	53214-371-010	F- 2		F-14-1
	F-11-1	53166-422-000	F- 1	53214-430-003	F- 2	64110-NF4-760	F-14
52180-NF4-000	F-12	53167-KS6-000	F- 1	53229-KA3-710	F- 2		F-14-1
	F-12-1	53168-KS6-000	F- 1	53229-KN5-650	F- 2	64210-NF4-000	F-14
52400-NF4-761	F- 5	53169-KZ4-000	F- 1	53230-NF4-000	F- 2		F-14-1
52400-NF4-771	F- 5	53170-MJ4-006	F- 4	53230-NF4-770	F- 2	64210-NF4-770	F-14
52401-NF4-761	F- 5		F- 4-1	53230-NF4-850	F- 2		F-14-1
52401-NF4-771	F- 5	53171-MJ4-006	F- 4	53230-NF4-870	F- 2	64240-NF4-000	F-14

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
	F-14-1	90105-KR3-000	F- 8	90201-415-000	F- 4		F- 8-1
		90106-NF4-770	F- 6		F- 4-1	90305-MC0-003	F-11
77000			F-14	90201-KV3-700	F-11		F-11-1
		90107-NF4-003	F-14-1		F-11-1	90306-NF5-003	F- 5-1
77101-NF4-760	F- 6	90108-NF4-000	F- 5-1	90218-KJ2-000	F-10	90309-428-731	F- 7
77101-NF4-772	F- 6		F- 4		F-10-1		F-10
77105-NF4-750	F- 6	90113-HB3-000	F- 4-1	90235-KA4-000	E- 5		F-10-1
77220-NF4-760	F- 6		F-10	90301-473-003	F- 7	90310-NF4-000	F-14
77221-NF5-760	F- 6	90113-ND5-761	F-10-1		F-10		F-14-1
			F- 3		F-10-1	90321-KF0-000	F- 1
		90113-NF4-870	F- 3-1		F-11	90324-MA1-000	F- 6
80000			F- 3		F-11-1	90401-430-000	E- 6
		90114-310-000	F- 3-1		F-14	90405-HA0-000	F- 6
80100-NF4-760	F-12	90114-MA5-671	F- 1	90301-MG8-000	F-14-1	90407-KK1-000	F-10
	F-12-1		F- 4		F-12		F-10-1
		90116-383-721	F- 4-1		F-12-1	90408-NF4-000	F- 8
		90116-KV3-701	F- 5-1	90301-NC8-000	F-11		F- 8-1
90000		90117-MG8-000	F- 5-1		F-11-1	90409-NF4-000	F- 8
			F-12	90302-NF4-000	F-12		F- 8-1
90001-NF4-760	E- 6	90118-471-000	F-12-1		F-12-1	90428-958-000	E- 9
90013-430-000	E- 5	90121-NF4-003	F- 5-1	90304-GA6-003	F- 5-1	90435-HB3-000	E- 9
90015-KS6-700	E- 4		F-11		F-10	90437-611-000	E- 2
90016-KS6-700	E- 4	90134-ND5-000	F-11-1		F-10-1		E- 2-1
90016-ML3-680	E- 4		E- 3		F-12	90441-422-000	E- 1
90023-MG8-000	E- 9		F-12		F-12-1	90441-HA2-670	E- 5
90037-360-000	E- 1	90145-MS9-611	F-12-1	90304-KK0-000	F- 2	90441-KS6-700	E- 6
	E- 4		F- 4	90305-401-680	F- 3	90443-107-000	E- 1
90081-NC2-000	E- 6		F- 4-1		F- 3-1	90443-GC8-000	F- 6
90103-NF4-000	F-12	90145-NN0-000	F- 9		F- 8	90446-357-000	E- 8
	F-12-1		F- 4		F- 8-1	90447-KE1-000	E- 4
90104-NF4-000	F-10	90178-NC8-000	F- 4-1	90305-GE8-003	F- 3	90452-115-000	E- 8
	F-10-1		F-10		F- 3-1	90452-178-000	E- 8
			F-10-1		F- 8	90456-KA4-000	E- 5

'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
90456-KS6-000	E- 5		F- 4	91000			F-14-1
90456-NF4-770	E- 5		F- 4-1			91081-NF4-003	F- 7
90461-444-000	E- 8		F- 6	91001-KA3-711	E- 6	91201-148-003	E- 4
90464-444-000	E- 8		F- 9	91002-466-008	E- 6	91201-KS6-004	E- 6
90475-425-000	F- 9		F-12	91002-KA4-003	E- 6	91202-KA3-712	E- 6
90481-430-000	E- 5		F-12-1	91002-KA4-005	E- 6	91203-KK3-830	E- 6
90501-KA3-741	E- 8		F-13	91004-430-003	E- 6	91203-KS6-004	E- 6
90501-NF4-750	F-12		F-14		E- 6	91205-166-004	E- 6
	F-12-1		F-14-1	91007-KA3-740	E- 4	91211-KA3-761	E- 4
90502-NF4-760	F-12	90651-NF4-000	F- 3	91008-NF5-761	E- 7	91254-446-003	F- 5-1
	F-12-1		F- 3-1	91011-KS6-003	E- 5	91255-MA6-013	F- 5-1
90503-428-870	F- 2	90652-ND5-000	F- 4	91012-KA3-710	E- 6	91255-NC2-000	F- 5-1
90506-430-000	F- 7		F- 4-1	91021-KA3-741	E- 9	91301-KR3-003	F- 7
90506-NF4-000	F-12		F- 6	91022-KA4-740	E- 6	91301-KS6-003	E- 6
	F-12-1		F- 9	91048-NC5-000	F- 9	91304-MJ0-003	E- 3
90508-NF4-850	F- 2	90652-NF4-000	F- 3	91052-NF4-000	F- 8	91317-381-771	F- 5-1
90509-NF4-000	F- 2		F- 3-1		F- 8-1	91351-KA3-711	E- 8
90510-NF4-770	F-10		F- 8	91053-ND9-000	F- 2	91351-KB7-003	F- 5-1
	F-10-1		F- 8-1	91053-NF4-000	F-12		F-11
90543-273-000	E- 1		F-12		F-12-1		F-11-1
	E- 3		F-12-1	91054-ND6-700	F- 2	91357-964-006	F- 8
	E- 4	90653-NC8-000	F-14	91055-NF4-000	F-12		F- 8-1
	F- 5-1		F-14-1		F-12-1		
	F-12	90654-NC8-000	F-14	91056-NF4-000	F-12		
	F-12-1		F-14-1		F-12-1	92000	
90544-283-000	F- 5-1	90655-NC8-000	F-14	91060-NL0-000	F- 2		
90545-300-000	F- 4		F-14-1	91074-GC4-831	F- 5-1	92101-05028-0A	F-12
	F- 4-1	90655-NF5-760	F-14		F-11		F-12-1
	F- 9		F-14-1		F-11-1	92900-08032-0E	E- 1
90601-354-000	F- 5-1	90656-NF5-760	F-14	91077-KA3-731	F-11	92900-08035-3E	E- 6
90601-360-000	E- 8		F-14-1		F-11-1	92900-08040-3E	E- 6
90602-360-000	E- 8			91080-NC8-300	F-13		
90651-NC8-000	F- 1				F-14		


'89—'90-RS125R PART NO. INDEX

Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
93000		94000		94103-05800	F-12	95000	
					F-12-1		
93300-06016-0A	E- 9	94002-06000-0S	F-11	94103-06000	F- 7	95001-75295-40	F- 6
93404-06016-00	F- 6		F-11-1	94103-06800	F- 7	95002-02070	E-10
93404-06020-00	F- 6	94002-08000-0S	F- 9	94109-12000	E- 6	95002-02100	F-13
93404-06020-00	F-11		F-11	94111-03800	E- 6	95002-02120	F- 6
	F-11-1		F-11-1	94111-04000	F- 1		F- 9
93404-06020-08	E- 5		F-12	94201-20150	F-13	95002-45000	F- 6
93404-06040-00	F-14		F-12-1	94201-25200	F-12	95003-07012-31	E-10
	F-14-1	94012-10000-0S	F-12		F-12-1	95003-10003-31	F- 6
93500-03006-0A	F- 4		F-12-1	94201-25300	F-14	95003-10058-31	F- 6
	F- 4-1	94050-06000	F- 1		F-14-1	95003-14023-10	F-13
93500-03008-0H	E- 6	94050-08000	E- 1	94201-30250	F- 3	95014-62200	F-14
93500-03010-0A	F-14		F- 9		F- 3-1		F-14-1
	F-14-1		F-11		F- 8	95301-08032-00	F- 2
93500-04012-1A	F- 1		F-11-1		F- 8-1	95701-06016-00	F- 7
93500-04016-0H	E-10	94050-12000	E- 2	94252-10100-00	F- 6		F-10
93500-05012-0A	F-11		E- 2-1		F-13		F-10-1
	F-11-1	94101-03000	F-14	94252-12000	F-13		F-13
	F-12		F-14-1	94252-16100	F-14	95701-06025-00	F- 4
	F-12-1	94101-03800	F- 4		F-14-1		F- 4-1
93500-05016-0A	F- 1		F- 4-1	94301-06100	E- 1	95701-08032-00	F- 1
93500-05028-0A	E- 6	94101-06000	F-10	94301-08140	E- 3	95801-06012-08	F- 7
93600-04012-1G	F- 4		F-10-1		E- 6	95801-06022-00	F-10
	F- 4-1		F-11	94301-10160	E- 6		F-10-1
93600-06012-0A	E- 6		F-11-1	94303-04065	E- 1		F-11
93700-04010-0G	F- 1	94102-08000	F- 2	94510-14000	E- 9		F-11-1
93891-06025-07	E- 2		F- 9	94510-30000	F- 9	95801-06025-00	F-10
	E- 2-1		F-10	94520-26000	F-11		F-10-1
			F-10-1		F-11-1		F-11
			F-12	94608-50000	F- 5-1		F-11-1
			F-12-1			95801-08022-00	F-10
			F-13				F-10-1
		94102-10000					

'89—'90-RS125R PART NO. INDEX


Part No.	Block	Part No.	Block	Part No.	Block	Part No.	Block
95801-08022-08	F- 7	96001-06040-07	E- 3				
95801-08025-00	F-10	96001-06045-07	E- 6	97714-62181-U0		F- 3-1	
	F-10-1	96001-06050-07	E- 6			F- 8	
95801-08028-00	F-12	96001-06075-07	E- 6			F- 8-1	
	F-12-1	96001-06085-07	E- 6				
95801-08032-08	F- 7	96100-60030-00	E- 6	99000			
95801-08035-00	F- 1	96100-60040-00	E- 6				
	F- 2	96140-60030-00	E- 6	99101-357-1500		E-10	
	F- 9	96140-62020-10	F- 3	99101-357-1520		E-10	
95801-08045-00	F-12		F- 3-1	99101-357-1550		E-10	
	F-12-1		F- 8	99101-357-1580		E-10	
95801-10040-00	F- 5-1		F- 8-1	99101-357-1600		E-10	
95801-10050-00	F- 5-1	96150-60030-10	F-12	99101-357-1620		E-10	
		96211-09000	F-12-1	99101-357-1650		E-10	
96000		96220-40080	E- 5	99101-357-1680		E-10	
			E- 4	99101-357-1700		E-10	
96001-06010-07	E- 4	96300-06018	E- 9	99101-357-1720		E-10	
96001-06018-00	F- 2		E- 2	99101-357-1750		E-10	
96001-06020-00	F-12	96300-06022-00	E- 2-1	99101-357-1780		E-10	
	F-12-1	96300-08020-07	E- 6	99103-437-0450		E-10	
96001-06022-00	F- 1	96300-08040-00	E- 8	99103-437-0480		E-10	
	F-12	96700-06016-17	F- 5-1	99103-437-0500		E-10	
	F-12-1	96700-08032-10	F- 7				
	F-14		F- 2				
	F-14-1						
96001-06028-00	F- 2	97000					
	F- 7						
	F-11	97310-42229-L0	F- 3				
	F-11-1		F- 3-1				
96001-06032-00	F-14	97480-62182-U0	F- 8				
	F-14-1		F- 8-1				
96001-06032-07	E- 3	97664-42228-L0	F- 3				

Special Tool



Ref. No.	Part No.	Description		Ref. No.	Part No.	Description	
1	07724-0050001	クラッチセンターホルダー	クラッチセンター取外し時必要 (機種問わず使用可能)	9	07725-0030000	ユニバーサルホルダー	ロータープーラーと一緒に使用する
2	07724-0010100	ギヤーホルダー	クラッチセンターホルダーと同時 に使用する 物が非常に小さいのでENG内部 に忘れることがあり、目立つよ うにカラーリングをする	Special Tool はホンダ部品販売店でお求め下さい。			
3	07937-4300000	ケースプーラー	クランクケース分解時必要				
4	07965-1660100	クランクケースアセンブリ ツール	ENG整備の必需品 (性能はこれで決まる)				
5	07965-KA30000	スレットアダプター	クランクシャフトの右側に取り つけて使用する				
6	07733-0010000	ロータープーラー	ACG取外し時必要				
7	07702-0020001	ピンスパナ	リヤースSPGイニシャル変更用				
8	01000-NF4-750	ENGマウントブッシュ脱着工具	フロントENGハンガーブッシュ 交換用として				

Special Tool



Ref. No.	Part No.	Description		Ref. No.	Part No.	Description	
1	07724-0050001	Holder, Clutch Center	To remove clutch center. (applicable to all models)	9	07725-0030000	Universal Holder	To be used with Rotor Puller.
2	07724-0010100	Holder, Gear	To be use with Clutch Center Holder. color painted to prevent missing.				
3	07937-4300000	Puller, Crankcase	To disassemble crankcase.				
4	07965-1660100	Crankcase Assembly Tool	Indispensable to service engines.				
5	07965-KA30000	Thread Adaptor	To be installed on the right end of crankcase.				
6	07733-0010000	Rotor Puller	To remove ACG				
7	07702-0020001	Pin Spanner	To change initial preload of rear suspension spring.				
8	01000-NF4-750	Engine Mount Bushing Installer/Remover	To replace front engine hanger busing.				


No.	HRC コード	主な取扱 ロードバイク	ショップ名	〒No.	住 所	TEL	FAX
1	101025	●	機ボールポジション	206	東京都多摩市貝取607-3	0423-75-3083	0423-71-4784
2	101051	●	オートショップ スガハラ南	114	東京都北区王子3-20-2	03-914-7500	03-914-7518
3	101054	●	機アール ビー エム	191	東京都日野市日野669-2	0425-81-0421	0425-83-8544
4	101055	●	機マン島スポーツ	146	東京都大田区千鳥町2-11-3	03-750-3811	03-750-8849
5	101063	●	HONDA SPORTS MOTOBUM	110	東京都台東区台東4-13-23	03-831-4265	03-831-4282
6	101121	●	ホンダドリーム NODA	121	東京都足立区青井5-12-41-101	03-889-6415	03-849-4173
7	102012	○	ホンダショップ 成田	211	神奈川県川崎市中原区中丸子439	044-411-4171	切 換
8	102019	●○	機スーパーウイング まるやま	255	神奈川県中郡大磯町高麗3-2-39	0463-34-0651	0463-33-6877
9	102032	●	南ライダーズサロン 横浜	236	神奈川県横浜市金沢区片吹66-19	045-783-3638	045-786-2633
10	102053	●	ホンダウイング 鎌倉	247	神奈川県鎌倉市市2-2-18	0467-46-2702	0467-45-2508
11	103025	●	モトライフポイント ユー・ギア	271	千葉県松戸市松戸1051-4	0473-61-1051	切 換
12	104010	●○	機ホンダショップ 和光	351-01	埼玉県和光市本町20-17	0484-61-7478	切 換
13	104016	●	南オートショップ ミズシマ	334	埼玉県川口市峯911-5	0482-96-4537	0482-95-8357
14	104036	●	南エンデュランス	350	埼玉県川越市山田1667-1	0492-22-7770	0492-26-1625
15	104038	●	モトウイング ガル	350-13	埼玉県狭山市下奥富613-1	0429-54-7467	0429-54-7288
16	104053	●○	機インターテック	330	埼玉県大宮市堀ノ内町1-1	048-648-0244	048-648-0544
17	105012	●	南ワールド ツクバ	300-26	茨城県結城郡八千代町大字栗山898	0296-49-3138	0296-48-2307
18	115006	●○	南モト・ショップ・ハマ	390	長野県松本市沢村3-1-12	0263-32-5231	0263-33-6205
19	116013	○	ホンダウイング 高橋	946	新潟県北魚沼郡小出町虫野113-3	02579-2-0778	02579-2-6528
20	116021	○	南三愛バイクセンター	955	新潟県三条市下須賀24	0256-34-8325	切 換
21	201018	●	ラ・モト・KOHSAKA	497	愛知県海部郡蟹江町源氏1-6	05679-5-9991	05679-5-0698
22	202025	●	南ワールド カワグチ	411	静岡県三島市大社町18-40	0559-73-2939	0559-73-2912
23	202030	●	南エイチ・エスシー	410	静岡県沼津市大瀬訪721-8	0559-24-0636	0559-21-0180
24	203007	●	ホンダワールド機	513	三重県鈴鹿市吉住町6786	0593-78-1455	0593-78-6192
25	203009	●○	バイク、イサカ	510-02	三重県鈴鹿市稲生町7990-15	0593-83-3470	切 換
26	203012	○	ミタニモーターズスポーツ	519-21	三重県多気郡多気町324	05983-8-2222	05983-8-3898
27	203039	●	モトショップ ヨシハル	510	三重県四日市市寺方町2342-2	0593-26-7770	切 換
28	204002	○	バイクショップ TRY	504	岐阜県各務原市那加信長町1-283	0583-83-7722	切 換
29	204014	●	ノースウイング JC	502	岐阜県岐阜市土土居1-6-1	0582-94-4421	0582-94-6291
30	207003	●	ホンダレッドシティ	937	富山県魚津市本江2535	0765-24-3121	0765-23-0638
31	301012	●	モビリティプラザ タカダ	524	滋賀県守山市播磨田町381-4	0775-82-3227	0775-82-5090
32	302004	○	スーパーネッシー コタニ	621	京都府亀岡市篠町篠空殿林20-6	07712-4-6308	切 換
33	302005	○	南 TOM'S	603	京都府京都市北区紫野下鳥田町1-3	075-491-5552	切 換
34	303014	●	機大専 トクノモトランド	566	大阪府摂津市三島3-1-37	06-319-1989	06-319-2575
35	303029	●	機スーパーモンキー	578	大阪府東大阪市玉串元町2-8-27	0729-64-3177	0729-65-0026
36	303030	●○	機アールエス タイチ	574	大阪府大東市中垣内3-1-25	0720-74-5315	0720-74-3385
37	306013	●	○ スポーツ コーナー マツモト	659	兵庫県芦屋市宮川町7-18	0797-32-4747	0797-34-3931
38	306021	●○	機サイクル ワールド	673	兵庫県神戸市西区森友4-13	078-928-6647	078-928-4711
39	306031	○	○ ミネモーターサイクル	654-01	兵庫県神戸市須磨区妙法寺地子田1038-8	078-743-5440	切 換
40	307007	○	機梅本商会	700	岡山県岡山市南中央町12-9	0862-32-0011	0862-32-0014
41	307010	●	NOVA	709-08	岡山県赤松郡山陽町河本1076-5	08695-5-2519	切 換
42	307019	●	機パドック	708	岡山県津山市二宮662	0868-28-3191	0868-28-3198
43	312004	●○	南ホンダアロー	771-01	徳島県徳島市川内町平石夷野250-2	0886-65-5330	0886-65-5595
44	401023	●	機ホンダショップ 高武	814-01	福岡県福岡市城南区神松寺2-2-2	092-871-8198	092-871-8202
45	401036	●	ホンダショップ ライフ	802	福岡県北九州市小倉北区片野新町1-1-1	093-922-8906	093-922-8910
46	502021	●○	機オートランド 札幌	004	北海道札幌市白石区厚別中央3条1-1-1	011-892-3323	011-892-3349
47	608011	●○	モト・ビット・マックス	969-11	福島県安達郡本宮町字栄田147-1	0243-33-2455	切 換
48	609008	●	機クルーズ	981-15	宮城県角田市角田字町152	0224-62-0671	0224-55-5613
49	609012	●	機ホンダスポーツ ウィリー	982	宮城県仙台市鹿野2-13-3	022-246-2619	切 換
50	610005	○	機ホンダウイング 庄内	998-01	山形県酒田市大字広野字中通32-1	0234-92-3838	0234-92-3488

HRCサービスショップ一覧

レーシングマシンのセッティングやメンテナンス、パーツが欲しい……etc.

レースに関することなら、なんでもHRCサービスショップにお気軽にご相談ください。

現在、全国に50店舗。いずれもレース経験豊富なお店です。



株式会社 ホンダレーシング

〒352 埼玉県新座市野火止8丁目18番4号

営業ブロック直通 TEL .0484-77-9538

TEL .0484-81-2511

FAX .0484-78-7531

不許複製

